



Create

your

**GREAT**

outdoors

**BRADSTONE®**

# Some see paving... we see **POTENTIAL**

From patios and garden makeovers to suntraps, paths and driveways, where some see paving we see potential.

We see the potential to create a spot for sunny days and stargazing nights, a space for dining alfresco with family or dancing with friends. We see your outdoors as an extension of your home. So move over interior designers, we can be your 'out-terior design team'.

Come to us for everything from help choosing your perfect paving to finding the best landscapers in your area. With Bradstone, believe us when we say, you'll create something that is nothing less than showstopping.

**Ready to create your great outdoors?  
Let's get started.**





Were some saw  
patio, we saw  
**PARTY TIME**

CONTENTS

**6**

About Bradstone

**10**

Ecological

**22**

Concrete

**30**

Natural Stone

**38**

Porcelain

**60**

Driveway Block Paving

**76**

Landscaping Features

**94**

Additional Information



# Bringing **GREATNESS** to outdoor spaces for **70 YEARS**

There's no outdoor space we can't find greatness in. Honestly, try us.

We've transformed outdoor spaces of all shapes and sizes for so many years. And they're all showstoppers.

That's because whatever a great garden or driveway means to you, we see it too.

Whether you're looking for something easy to maintain, stunningly stylish or just a small patio to relax in, we can make it happen.

From design to sourcing sustainable materials and expert installation, we make creating your great outdoors a breeze.



FIND YOUR LOCAL STOCKIST AT [BRADSTONE.COM/HOMEOWNER](http://BRADSTONE.COM/HOMEOWNER)



Bring your **VISION** to life

Sometimes you need to see something to believe it. With our online visualiser tool and free samples, you can get a real feel for your perfect paving in your outdoor space.

**SHOWSTOPPING** quality is our priority

Your great outdoors should be enjoyed for years to come. By choosing a Bradstone Assured Landscaper you will get our free guarantee.

**10 year guarantee on products** **5 year guarantee on installation** **5** **10**

Endless **GREATNESS**

Our large range of beautiful, top-quality paving including porcelain, concrete and natural stone can create showstopping spaces.

**TRANSFORMING** outdoors near or far

You're never far from Bradstone products. Talk to us about your paving via our nationwide network of builders' merchants and retailers. Or jump online and we'll lend a hand with our product selector tool. While you're there why not order free samples too.

**BREEZE** through to the end

Why DIY when we have a team of professional landscapers that will help with the design and create your great outdoor space?

Find your Bradstone Assured Landscaper at [bradstone.com](http://bradstone.com)





# Creating your **GREAT** outdoors is a **BREEZE**



## Design and install **SORTED**

Still gazing out the window, daydreaming about what your outdoor space could be? Our Assured Landscapers are ready to sharpen their pencils and roll up their sleeves to make your dream a reality.

## The **GREATEST** of the great

We're very picky about who joins our Assured Landscapers. Only the most skilled and passionate landscapers make the cut. So you know you're getting top-notch quality and service whoever you choose.

## You're in **SAFE** hands

Reference checks? Done. Insurance? You bet. Our Assured Landscapers are fully assessed. They're also kept up to date on the latest advice and trends.



## **GREATNESS**, guaranteed

All Assured Landscaper jobs come with a 10-year guarantee on products and a 5-year guarantee on installation. Your great outdoors is built to last, so you can relax and enjoy it for years and years to come.



## Find your **PERFECT** match

Browse Assured Landscaper profiles online to find someone who fits the bill for your outdoor space. Pop in your postcode at [bradstone.com](http://bradstone.com) or give us a call on **01335 372289**.



# ecological

## Why Eco?

Same style and quality. Now lower carbon.

Go greener with Bradstone's new lower carbon paving, ECO. The same beautiful paving you expect from us, but now we have reduced our carbon footprint by more than 20%. So a typical 30m<sup>2</sup> patio offers a carbon saving equivalent to that generated by three mature trees\* over a year.

Old Town® Eco	12
Old Riven Eco	14
Aged Riven Eco	16
Ashbourne™ Eco	18
Edale Eco	20

\*Per 30m<sup>2</sup> according to European Environment Agency

A greener future.

We believe in building a more sustainable world for people and the environment. On our way to becoming a Net Zero company, we constantly try to innovate and accelerate our carbon reduction by introducing environmentally friendlier products.

We are constantly looking to improve and add to our ECO range. To find out more head to [bradstone.com](http://bradstone.com)



OLD TOWN ECO PAVING IN GREY-GREEN



Old Town<sup>®</sup>  
eco™



OLD TOWN ECO PAVING IN OLD QUARRIED

# Old Town<sup>®</sup> eco™

Lower carbon footprint,  
same premium quality.

We've lowered the carbon footprint of our Old Town ECO mix by more than 20% - but still with the same great quality as before. Made using moulds of the floor of a 19th century Lancashire Cotton Mill, it's finish looks just like authentic reclaimed stone. So you can relive the charm of days gone by, original tooling marks, weathered edges and all. Making it perfect for creating a garden with a traditional look, while reducing your carbon footprint too.

All three shades are available in a 6.4m<sup>2</sup> patio kit featuring six different sizes, and 900x600mm and 600x600mm single sized pavers.



GREY-GREEN (GG)



OLD QUARRIED (OQ)



WEATHERED LIMESTONE (WL)

**Example patio pack layout**

**6.4m<sup>2</sup> patio pack**  
(Approx size: 2800 x 2300mm)

**KIT CONSISTS OF:**

- 03 = 600 X 600mm
- 03 = 600 x 450mm
- 02 = 450 x 450mm
- 09 = 600 x 300mm
- 12 = 450 x 300mm
- 06 = 300 x 300mm

**MORE THAN 20% CO<sub>2</sub> REDUCTION COMPARED TO PREVIOUS VERSION OF THE MIX.**

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600*	GG/WL/OQ	10	0.55	5.60	1.80	YES
Paver	600 x 600	GG/WL/OQ	22	0.68	8.20	2.70	YES
6.4m <sup>2</sup> patio pack	2800x2300	GG/WL/OQ	35	0.53	6.40	N/A	N/A

**Thickness:** 40mm, 44mm\* **Joint width:** 10-15mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



OLD TOWN ECO PAVING IN GREY-GREEN



Old Riven  
eco™



OLD RIVEN ECO PAVING AUTUMN COTSWOLD

# Old Riven eco™

## Visual appeal with options galore.

The Old Riven ECO is an environmentally friendlier product perfect for creating an affordable patio area that doesn't compromise on style or quality. With more than 20% lower carbon footprint than before, Old Riven ECO has an authentic look with straight sawn edge detail, inspired by natural quarried stone.

Available in a 9.9m<sup>2</sup> patio pack and 600x600mm single sized pavers in all three shades.



AUTUMN BRONZE (AB)



AUTUMN COTSWOLD (AC)



AUTUMN SILVER (AS)

**Example patio pack layout**

**9.9m<sup>2</sup> patio pack**  
(Approx size: 3300 x 3000)

**KIT CONSISTS OF:**

- 17 = 600 X 600MM
- 18 = 600 X 300mm
- 06 = 300 X 300mm


**MORE THAN 20% CO<sub>2</sub> REDUCTION COMPARED TO PREVIOUS VERSION OF THE MIX.**

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	600 x 600	AC/AS/AB	29	0.73	10.79	2.70	YES
9.9m <sup>2</sup> patio pack	3300 x 3000	AC/AS/AB	41	0.68	9.90	N/A	N/A

**Thickness:** 35mm **Joint width:** 10-15mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



OLD RIVEN ECO PAVING IN MIXED COLOURS



# Aged Riven eco™



AGED RIVEN ECO PAVING IN DARK GREY

# Aged Riven eco™

## Traditional style and charm comes of age.


Aged Riven ECO combines the old with the new in perfect harmony. It has a reduced carbon footprint of more than 20% compared to the previous version of the product. It's distinctive weathered profile gives the paving a traditional, timeworn appearance, while its smooth edges add a modern feel.

Available in a random style 9.72m<sup>2</sup> patio pack, as well as a 450x300mm single sized paver to create a more uniform pattern.



DARK GREY (DG)

### Example patio pack layout



**9.72m<sup>2</sup> patio pack**  
(Approx size: 3600 x 2700mm)

- KIT CONSISTS OF:**
- 12 = 600 x 450mm
  - 24 = 450 x 450mm
  - 12 = 300 x 450mm



**MORE THAN 20% CO<sub>2</sub> REDUCTION COMPARED TO PREVIOUS VERSION OF THE MIX.**


	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	450 x 300	DG	70	0.68	9.98	7.00	YES
9.72m <sup>2</sup> patio pack	3600 x 2700	DG	48	0.74	9.72	N/A	N/A

Thickness: 30mm Joint width: 10-15mm

Please note: Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



AGED RIVEN ECO PAVING IN DARK GREY



Ashbourne  
eco™



ASHBOURNE ECO PAVING IN WEATHERED GREY

# Ashbourne eco™

## Give your patio a rustic feel.

Ashbourne ECO is a distinctive style paving with a riven surface and fettle edges, creating a stunning, authentic natural stone appearance. With a new and improved mix we've reduced its carbon footprint by more than 20%, offering you a more sustainable solution for your garden project.

It's available in a 9.72m<sup>2</sup> patio pack containing three different sized pavers, so you can create a garden feature that's naturally eye-catching.



COTSWOLD (CT)



YORK BROWN (YB)




YORK GOLD (YG)



WEATHERED GREY (WG)

### Example patio pack layout



**9.72m<sup>2</sup> patio pack**  
(Approx size: 3600 x 2700mm)

**KIT CONSISTS OF:**  
• 12 = 600 X 450MM  
• 24 = 450 X 450MM  
• 12 = 300 X 450MM




**MORE THAN 20% CO<sub>2</sub> REDUCTION COMPARED TO PREVIOUS VERSION OF THE MIX.**

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
9.72m <sup>2</sup> patio pack	3600 x 2700	CT/YB/WG/YG	48	0.74	9.72	N/A	N/A

**Thickness: 30mm Joint width: 10-15mm**  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



ASHBOURNE ECO PAVING IN YORK GOLD



Edale  
eco™

# Edale eco™

A great value,  
traditional paving.

Edale ECO is a gentle riven paving with smooth edges inspired by the stony footpaths seen on country walks. With an improved mix to reduce its carbon footprint by more than 20%, Edale ECO is an affordable and traditional paving range that doesn't compromise on style or decorative appeal.

Available in 450x450mm and 600x600mm single sized pavers.



CREAM (CR)



GREY (GY)




DARK GREY (DG)



MORE THAN 20% CO<sub>2</sub> REDUCTION COMPARED TO PREVIOUS VERSION OF THE MIX.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	600 x 600	Cr/Gy/DG	32	0.80	11.52	2.78	N/A
Paver	450 x 450	Cr/Gy/DG	76	0.98	16.08	4.70	N/A

**Thickness:** 30mm **Joint width:** 10-15mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



# Concrete

## Why choose Concrete paving?

Concrete paving is hard-wearing, durable and strong. Choose from endless design options, sizes and styles with either an authentic aged appearance or a contemporary look.

Carpet Stones	24
Mahina®	26
StoneMaster®	27
Textured	28
Peak	29



MAHINA PAVING IN DARK GREY

# Carpet Stones

Liven up your outdoor space – give it a carpet!

Carpet Stones are easy to lay to achieve an intricate rustic design in your garden. The cobbles are pre-laid on an underlying flexible mat, which can be simply cut with a pair of scissors to fit any awkward areas or to create elaborate designs. With the correct preparation our Carpet Stones can also be used on your driveway.


Available in 1200x400mm.



CHARCOAL (CH)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	1200 x 400	CH	30	0.95	14.90	2.00	YES

Thickness: 40mm Joint width: 10-15mm  
Please note: Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



CARPET STONES IN CHARCOAL

The natural texture creates a wild and rustic atmosphere. Perfect for evoking the Cottagecore trend.

SEE OPPOSITE TO FIND OUT MORE ABOUT COTTAGECORE

## 4 simple ways to create a Cottagecore garden – embrace a wholesome country theme



### Plentiful pretty planting

A relaxing planting style, creating a rich tapestry of colour, is key to a cottagecore garden. If you're starting from scratch, take a trip to your local garden centre and get some advice on pretty, traditional plants such as poppies, lupins, lavender, foxgloves and, of course, trellises draped in wild climbing roses, pretty clematis, and wistful wisteria.




### Include a garden room

A garden room, or summer-house, is the perfect place for chilling out when the sun is too high, or getting away from it all on cooler days. Decorate it with vintage treasures – and don't forget the kettle or the cocktail shaker!

### Repurpose old furniture

Take vintage, pre-owned or damaged furniture – tables, chairs, mirrors, and even fireplaces – and get creative with the sandpaper, paints and chintzy fabrics and prints.



### Go for a stone with a natural look

Think winding paths, hidden nooks and crannies and pretty patio areas, to give a traditional, cottage garden vibe. Bradstone has many stunning ranges of beautiful, hard-wearing paving, with an authentic lived in feel being the very essence of its charm.



# Mahina<sup>®</sup>

## Contemporary paving given a touch of style.

Mahina paving gives any garden a modern and refined feel with its stylish textured finish. It is available in three shades, all with a contemporary fleck to replicate granite, allowing you to create a unique look. And with up to 60% recycled content, it's environmentally friendly too.

Available in 600x600mm and 450x450mm single sized pavers.



NATURAL (NA)



DARK GREY (DG)



BUFF (BF)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	600 x 600	NA/DG/BF	20	0.58	7.20	2.78	YES
Paver	450 x 450	NA/DG/BF	40	0.70	8.10	4.90	YES

**Thickness:** 35mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



MAHINA PAVING IN NATURAL, INSTALLED BY BRADSTONE ASSURED LANDSCAPER PB LANDSCAPES OF MELBOURNE – WWW.PBLANDSCAPES.CO.UK

# StoneMaster<sup>®</sup>

## Contemporary paving that's long on style, quality and durability.


StoneMaster is a long aspect paving which can be used to create the illusion of more space in your garden. Available in three grey shades to replicate natural granite, they're sold in single colour packs which you can mix to create the perfect look. It's also treated with Bradstone Surface Protection to make it less susceptible to stains from oil, grease and moss.

Looking to use StoneMaster to transform your driveway? Head over to page 68 to find out more about StoneMaster block paving designed specifically to be a hard wearing alternative to StoneMaster paving.


Available in 800x200mm single sized pavers.



LIGHT GREY (LG)



MID GREY (MG)



DARK GREY (DG)

NOTE: This paving is sold in single colour packs. To achieve the appearance shown in the image please order packs of all three shades.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	800 x 200	LG/MG/DG	32	0.95	5.12	6.25	YES

**Thickness:** 80mm **Joint width:** Butt  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



STONEMASTER PAVING IN LIGHT GREY, MID GREY AND DARK GREY

# Textured

Style and practicality working together in perfect harmony.

Textured paving offers the perfect balance of flair and function. It incorporates fine white limestone chippings to provide a softened appearance. It is also durable and hard-wearing enough to retain it's good looks over the years.

Available in 600x600mm and 450x450mm single sized pavers in all three shades.



BUFF (BF)



GREY (GY)



DARK GREY (DG)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	600 x 600	DG/Bf/Gy	20	0.58	7.20	2.80	YES
Paver*	450 x 450	DG/Bf/Gy	40	0.70	8.10	4.90	YES

Thickness: 35mm, \*32mm Joint width: 5mm  
Please note: Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



TEXTURED PAVING AND EDGING IN BUFF

# Peak

Utility paving.

Peak utility paving is a tough, hard-wearing and low-cost paving solution, making it the perfect base for utility areas and sheds. However, it should not be used for feature areas. All three colours are available in a riven 450x450mm and 600x600mm. Buff and Natural are also available in a smooth 400x400mm, 450x450mm and 600x600mm.



PEAK RIVEN UTILITY PAVING IN DARK GREY



RIVEN - BUFF (BF)



RIVEN - NATURAL (N)



RIVEN - DARK GREY (DG)



SMOOTH - BUFF (BF)



SMOOTH - NATURAL (N)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Peak Riven	600 x 600	Bf/N/DG	20	0.51	7.44	2.70	N/A
Peak Riven	450 x 450*	Bf/N/DG	40	0.55	8.46	4.70	N/A
Peak Smooth	600 x 600	Bf/N	20	0.58	7.20	2.80	N/A
Peak Smooth	450 x 450*	Bf/N	44	0.61	8.90	4.90	N/A
Peak Smooth	400 x 400**	Bf/N	52	0.54	8.30	6.30	N/A

Thickness: 35mm, \*32mm, \*\*28mm Joint width: Riven = 10-15mm Smooth = 5mm  
Please note: Limited protection in transit means surfaces may scratch. Products shown as available as 'order choice' come in multiples of one, unless stated otherwise

ASSURED LANDSCAPER TOP TIP

**A HARD WEARING UTILITY PAVER.** Peak is for shed bases, greenhouse floors, kennels and refuse areas only.

# Natural Stone

## Why Natural Stone?

Our Natural Stone is ethically sourced and of the finest quality. As well as being strong and hard-wearing, it's unique in style with no two pavers the same. Choose from many variations of colour and texture in contemporary and traditional styles.

Natural Limestone	32
Natural Sandstone	34
Blended Natural Sandstone	36



NATURAL SANDSTONE PAVING IN SILVER GREY



# Natural Limestone

NATURAL LIMESTONE PAVING INSTALLED BY BRADSTONE ASSURED LANDSCAPER  
 OLIVE TREE LANDSCAPING - WWW.OLIVETREELANDSCAPING.CO.UK

# Natural Limestone

Add a touch of drama and distinction to your garden.

Natural Limestone offers outstanding beauty with unique shades and distinctive natural veining. At the same time, it has superb strength and durability, ensuring your patio looks great for years to come. Available in Blue-Black, the colour varies in shades due to the natural element of the paving. As a matter of course Natural Limestone will fade in the sunlight, adding to its beauty.

Available as a 15.3m<sup>2</sup> patio pack and 900x600mm, 600x600mm and 600x300mm single sized pavers.



BLUE-BLACK (BB)

**Example patio pack layout**

**15.3m<sup>2</sup> patio pack**  
 (Approx size: 4570 x 3340mm)

**KIT CONSISTS OF:**

- 13 = 900 x 600mm
- 13 = 600 x 600mm
- 13 = 600 x 300mm
- 09 = 300 x 300mm

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	600 x 300	BB	85	0.95	16.10	5.30	N/A
Paver	600 x 600	BB	40	0.95	14.90	2.70	N/A
Paver	900 x 600	BB	28	0.82	15.50	1.80	N/A
15.3m <sup>2</sup> patio pack	4570 x 3340	BB	48	0.83	15.30	N/A	N/A

**Thickness:** 20mm **Joint width:** 10-15mm **Country of origin:** India  
**Please note:** Natural stone varies in colour and mineral content. See page 94-97 for additional information.  
 Products shown as available as 'order choice' come in multiples of one, unless stated otherwise




NATURAL LIMESTONE PAVING IN BLUE-BLACK

# Natural Sandstone

## Helping you create a garden feature that's unique.

Natural Sandstone will give your patio that touch of exclusivity. The many natural tonal variations, differing riven profiles and exquisite natural veining makes every paver unique. This range offers four beautiful natural shades, varied shapes and individual textures so you have a wealth of design possibilities.

Available in a 15.3m<sup>2</sup> patio pack as well as 900x600mm, 600x600mm, 600x300mm and 300x300mm single sized pavers. Natural sandstone setts come in four different shades. A 2.46m circle pack is offered in both Silver Grey and Fossil Buff, and walling options are available in these shades as well. Additionally, complementary edging is provided exclusively in Fossil Buff.






	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	FB/AG/SB/SG	28	0.82	15.50	1.80	N/A
Paver	600 x 600	FB/AG/SB/SG	40	0.78	14.90	2.70	N/A
Paver	600 x 300	FB/AG/SB/SG	85	0.80	16.10	5.30	N/A
Paver	300 x 300	FB/AG/SB/SG	85	0.42	8.15	10.40	N/A
15.3m <sup>2</sup> patio pack	4570 x 3340	FB/AG/SB/SG	48	0.80	15.30	N/A	N/A
2 ring circle	Ø 2460	SG/FB	25	0.28	4.75	N/A	N/A
2 ring circle squaring off kit	2720 x 2720	SG/FB	12	0.18	2.65	N/A	N/A

**Thickness:** 22mm **Joint width:** 10-15mm **Country of origin:** India  
**Please note:** Natural stone varies in colour and mineral content. See page 94-97 for additional information.  
 Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



NATURAL SANDSTONE PAVING IN SILVER GREY

### Example patio pack layout



NATURAL SANDSTONE PAVING IN AUTUMN GREEN

# Blended Natural Sandstone

A cost effective calibrated paving with natural quality.

Blended Natural Sandstone calibrated patio packs are hand cut and hand dressed to give a more rustic finish. They come in four specially selected colour blends and the pavers are lighter in weight than standard Natural Sandstone, making them easier to handle and ideal for those lower budget projects that still require a natural product.


All shades are available as a 19.52m<sup>2</sup> patio pack or a 900x600mm single sized paver.




IMPERIAL GREEN (IMG)



RUSTIC GREY (RG)



RUSTIC BUFF (RB)




BURNT UMBER (BU)



BLENDED NATURAL SANDSTONE PAVING IN RUSTIC GREY

## Example patio pack layout



3.988m

4.905m

**19.52m<sup>2</sup> patio pack**  
(Approx size: 4905 x 3980mm)

**KIT CONSISTS OF:**

- 16 = 900 x 600mm
- 15 = 600 x 600mm
- 18 = 600 x 290mm
- 16 = 290 x 290mm

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	IG/RG/RB/BU	28	0.69	15.75	1.85	N/A
19.52m <sup>2</sup> patio pack	4905 x 3980	IG/RG/RB/BU	65	0.84	19.52	N/A	N/A

**Thickness:** 18mm **Joint width:** 10-20mm **Country of origin:** India  
**Please note:** Natural stone varies in colour and mineral content. See page 94-97 for additional information.  
 Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



BLENDED NATURAL SANDSTONE PAVING IN RUSTIC BUFF


# Porcelain

## Why Porcelain?

Porcelain is lower maintenance than other types of paving. It also doesn't require sealing, is durable and doesn't fade.

Our Porcelain is rectified\* to give near perfect straight edges and consistent joint widths, for ease of laying.

Mode® Profiled	40	Upland®	52
Romeli®	42	Heartwood®	53
Serameno®	44	Falona®	56
Vala®	46	Tatra®	57
Metallics	50	Raptura®	58
Rock	51	Fooria®	59



TATRA PAVING IN BEIGE



# Mode® Profiled

MODE PROFILED PAVING IN SILVER GREY

# Mode® Profiled

## The definition of contemporary elegance.

Our Mode Profiled range is an all encompassing Porcelain range. The highlight of this paving is its fine riven texture containing mica crystals that glitter in the light, creating a sparkling shimmer effect. You'll also notice the subtle diagonal ribbon of colour, creating a unique design feature.

Available in 595x595mm, 595x295mm, 295x295mm, 895x445mm, 895x145mm single sized pavers as well as steps, copings, edgings and an 18.36m² patio pack.




	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m²/pack	Units/m²	Order Choice
Paver	895 x 445	GR/ DG/ HG/ SG	39	0.76	15.80	2.47	YES
Paver	895 x 145	GR/ DG/ HG/ SG	144	0.91	19.44	7.41	YES (3)
Paver	595 x 595	GR/ DG/ HG/ SG	60	1.05	21.60	2.78	YES (2)
Paver	595 x 295	GR/ DG/ HG/ SG	72	0.61	12.96	5.56	YES (3)
Paver	295 x 295	GR/ DG/ HG/ SG	240	1.00	21.60	11.11	YES (6)
18.36m² patio pack	5100 x 3600	GR/ DG/ HG/ SG	78	0.88	18.36	N/A	N/A

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



MODE PROFILED PAVING IN DARK GREY

### Example patio pack layout



**18.36m² patio pack**  
 (Approx size: 5100 x 3600mm)  
**KIT CONSISTS OF:**  
 • 30 = 595 x 595mm  
 • 36 = 595 x 295mm  
 • 12 = 295 x 295mm



Romeli®

ROMELI PAVING IN GREY BLEND INSTALLED BY BRADSTONE ASSURED LANDSCAPER ALFRESCO LANDSCAPING - WWW.ALFRESCOLANDSCAPING.CO.UK

# Romeli®

## Authentic design with traditional features.

With fettled edges, Romeli is sure to bring character and charm to any garden. A hard-wearing, scratch resistant, lower maintenance paver that is ideal for patios wanting to achieve a timeless look. It is designed to mimic the look of natural stone with its unique qualities, offering a wide variation in colour.

Romeli is available in an 800x400mm single sized paver.



BUFF BLEND (BB)




GREY BLEND (GB)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	800 x 400	BB/GB	48	0.69	15.36	3.13	YES (2)

**Thickness:** 20mm **Joint width:** 5-10mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



ROMELI PAVING IN BUFF BLEND



Serameno®

SERAMENO PAVING IN FLINT BUFF

# Serameno®

For vibrant colour and wow-factor detail.

Serameno offers an incredible detailed finish replicating the look of natural stone with all the benefits of a Porcelain paver. Choose from four eye-catching colours: warm Flint Buff, modern Flint Silver, Flint Rust and Flint Light.

Our Serameno range is available as a 1000x500mm single sized paver.



FLINT BUFF (FB)



FLINT SILVER (FS)



FLINT RUST (FR)



FLINT LIGHT (FL)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	1000 x 500	FB/FS/FR/FL	42	0.95	21.00	2.00	YES

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



SERAMENO PAVING IN FLINT SILVER



VALA PAVING IN SAND

# Vala<sup>®</sup>

## Bringing realism and detail to your space.

Our Vala range of pavers feature a distinctive marble effect and a rugged surface that adds a unique character to any space. The intricate detail provides a realistic, multi-dimensional texture that is second to none.

Vala pavers are perfect for outdoor spaces, while pavers for indoor installation to complement your interior decor can also be ordered on request.

Vala is available as a 895x595mm single sized paver.



GREY (GR)



ANTHRACITE (AN)



SAND (SA)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	895 x 595	GR/AN/SA	42	0.91	22.49	1.85	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



VALA PAVING IN ANTHRACITE



# Garden Kitchens

Year-round garden kitchen. How to create a space great for entertaining alfresco in an season.

## How to build a garden kitchen that lasts all year round.



Why limit the heart of your home to four walls? Move over interior designers, think of us as your 'out-terior design team'. We're here to help you extend your home and create a stunning alfresco space that's ready for action, whatever the weather. Whether it's a patio, terrace, or deck, let's pave the way for your new open-air lifestyle!

### Choosing patio paving for outdoor kitchen

The floor beneath your outdoor kitchen is your foundation. It must be strong, non-slip, and stain resistant as this area will be subject to hot embers, heavy appliances, and inevitable grease/food spills.

### Focus on Durability and Maintenance

The most popular choices for an outdoor kitchen are Natural Stone, Concrete, and Porcelain.



### Planning your kitchen

It's not all about fancy gadgets. The real secret to a successful outdoor kitchen is nailing the flow and ease of movement between areas. By thinking about the design like an indoor kitchen with the principle of a triangular layout, you can create an efficient flow, keeping the distance and steps to each area to a minimum.



### Designing your outdoor kitchen

Be inspired by the "Kitchen Triangle". There are 3 key areas to establish an efficient outdoor kitchen: Cooking (grill/BBQ), Prep (counter space), and Storage/Refrigeration. For maximum ease, these three areas should be designed in close proximity, reducing unnecessary movement.

#### Top Tip

Ensure you have at least 3 feet of clear counter space on either side of the grill/BBQ for setting down hot tools and ingredients.



Where some saw patio, we saw **PARTY TIME**

# Metallics

## Add a statement piece to your garden design.

Designed to define your outdoor area, these pavers feature intricate detailing and a striking industrial effect, boasting an electrifying metallic finish that's sure to catch the eye. This is our most daring and visually arresting design yet. The 900x600mm single-sized paver is the perfect fit for any space.



CORTEN (CO)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	CO	40	0.97	21.60	1.85	YES

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



METALLICS PAVING IN CORTEN INSTALLED BY BRADSTONE ASSURED LANDSCAPER HARRIS HARD LANDSCAPING

# Rock

## Stunning, hard-wearing paving.

Our Rock range – recognised for its natural stone-like quality – is expanding. The Blue Black shade is the latest addition to the collection, joining Autumn Green, Silver Grey and Sunset Buff.

This range offers clean lines, flexibility, and a contemporary look with a low-profile riven surface. It's available in a 895x595mm single size or a four size 19.89m<sup>2</sup> patio pack, making it a natural-looking product that's simply unmatched.



BLUE-BLACK (BB)



AUTUMN GREEN (AG)



SILVER GREY (SG)




SUNSET BUFF (SB)

### Example patio pack layout

**19.89m<sup>2</sup> patio pack**  
 (Approx size:  
 5100 x 3900mm)

**KIT CONSISTS OF:**

- 18 = 595 x 595mm
- 16 = 595 x 595mm
- 18 = 595 x 295mm
- 13 = 295 x 295mm




	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	895 x 595	SB/SG/AG/BB	40	0.97	21.60	1.85	YES
19.89 m <sup>2</sup> patio pack	5100 x 3900	SB/SG/AG/BB	65	0.93	19.89	N/A	N/A

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise

## Assured Landscaper Top Tip

"Create an all-around authentic natural look with both traditional and different laying patterns."



ROCK PAVING IN SILVER GREY

# Upland®

## The perfect addition to your garden project.

Looking for the perfect finishing touch to your garden project? Look no further than Upland paving, available in three stunning colours: Chocolate, Bronze and Ash.

With its dramatic and moody features, this paving is perfect for adding sophistication and contrast to any garden feature or border.

It's available in sizes 900x600mm in all three colours, and 600x600mm in Bronze only.



CHOCOLATE (CH)



BRONZE (BR)



ASH (A)

**Please Note:** We do not recommend mixing sizes in this range due to batch and surface variations.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	CH/BR/A	40	0.97	21.60	1.85	YES
Paver	600 x 600	BR	60	0.97	21.60	2.78	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



UPLAND PAVING IN BRONZE

# Heartwood®

## The perfect timber alternative.

Looking for a timber alternative that provides the same woodgrain effect without the warping? Look no further than Heartwood paving, now available in Oak and Brown.

Available in a 1200x295mm single size at 20mm thick, it's perfect for features, borders, and seamlessly continuing the wooden effect from your home to create an extension of your living space.



BROWN (BR)



OAK (OA)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	1200 x 295	OA/BR	68	1.08	24.48	2.78	YES

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



HEARTWOOD PAVING IN BROWN



# Time short? Create a low maintenance haven

## Follow these simple tips for a beautiful, easy-to-maintain garden.

Life can get busy and our time is precious. No matter how much we love our garden and pruning and preening it, it's just not always possible to devote time to it. But there is a way to make your garden into the haven you want without the hard work.



### Go wild

It's OK to let your garden grow wild and free. The natural look can create a space that screams an 'enchanted secret garden' with textures and natural shapes that work their way around the garden. While a bit of pruning might be needed here and there, it's about letting the garden do the work.

### Choose all year round shrubs

Evergreen shrubs are those that thrive through a number of seasons. This means that come spring, summer, autumn or winter, you are guaranteed to have greenery and life in your garden without having to lift a finger (or a green thumb.)

### Lawn free

A lawn is a lovely feature, but larger areas can take time and effort to maintain. Why not consider paving your entire space and designing your foliage around your hard landscaping, incorporating planters, beds and pots.



TATRA PAVING IN SILVER GREY

ROMELI PAVING IN GREY BLEND



### Plenty of pots

When it comes to designing a beautiful low-maintenance garden, there's no such thing as too many pots. With different sizes, designs, shapes, and colours, the pot possibilities are endless. Just make sure that the plants are correct in size and type for the different pots.

### Plant climbers

Trellises and walls can be the perfect canvas for growing plants and they don't need a lot of your attention. Let them grow and create their own path, and if you need to reign them in or redirect them, you always have the option to do that too.



# Falona<sup>®</sup>

## Adding style and personality to your property.

Falona paving, available in three distinct shades, is the perfect choice when you want to add character and appeal to your property. Brown provides a soft, hazy blend with rich tones, while Grey delivers a stunning stone effect. Mist, on the other hand, provides a rich, creamy and warm tone. The subtly textured finish and two sizes make Falona paving versatile enough to complement any property style.

It's available in sizes 900x600mm & 600x600mm.



BROWN (B)



GREY (GR)



MIST (MI)

**Please Note:** We do not recommend mixing sizes in this range due to batch and surface variations.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	B/GR/MI	40	0.97	21.60	1.85	YES
Paver	600 x 600	B/GR/MI	60	0.97	21.60	2.78	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



FALONA PAVING IN GREY

# Tatra<sup>®</sup>

## Great style, great value.

Our range of Tatra Porcelain is available in three colours and two sizes. This range is designed to replicate Natural Stone and features many of its unique characters such as its distinct veining. Each paver is fully rectified with precision edges for easy laying.

Available in 600x600mm and 900x600mm single sized pavers.



BEIGE (BG)



DARK GREY (DG)



LIGHT GREY (LG)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	BG/DG/LG	40	0.97	21.60	1.85	YES
Paver	600 x 600	BG/DG/LG	60	0.97	21.60	2.78	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



TATRA PAVING IN LIGHT GREY

# Raptura®

## Bringing realism and detail to your space.

If you're looking for a fusion of natural limestone and the travertine effect, Raptura's got you covered. The pavers have a unique mottled effect that gives them a timeless and distinct finish. Available in two colours, Grey (a blue/grey shade) and Ivory (which features a blue/green subtle effect in cloudy swirls), you can choose from two sizes: 900x600mm and 600x600mm.



GREY (GR)



IVORY (IV)

**Please Note:** We do not recommend mixing sizes in this range due to batch and surface variations.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	GR/IV	40	0.97	21.60	1.85	YES
Paver	600 x 600	GR/IV	60	0.97	21.60	2.78	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



RAPTURA PAVING IN GREY

# Fooria®

## The ultimate choice for a sleek and stylish space!

If you're looking for a sophisticated, slate-like finish for your property, Fooria paving is the perfect solution!

Available in three eye-catching colours - Beige, White and Anthracite - and two sizes, 900x600mm and 600x600mm, this paving option offers a seamless blend of elegance and modernity that will elevate any space.



BEIGE (BG)



WHITE (WH)



ANTHRACITE (AN)

**Please Note:** We do not recommend mixing sizes in this range due to batch and surface variations.

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	900 x 600	BG/WH/AN	40	0.97	21.60	1.85	YES
Paver	600 x 600	BG/WH/AN	60	0.97	21.60	2.78	YES (2)

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



FOORIA PAVING IN BEIGE

# Driveway Block Paving

## Why choose Driveway block paving?

Bradstone's range of Driveway block paving products provides a variety of driveway solutions that are the very epitome of style and practicality.

BradDrive® Cobblestone	62	Piccolo Setts	72
BradDrive® Slate	64	Kerbs	73
StoneMaster®	68	Woburn Original	74
Monksbridge	69	Driveway	74
Woburn Rumbled	70	Driveway Infilta	75
Woburn Rumbled Infilta	71	Installation solutions	75


IMPORTANT INFORMATION: ALTHOUGH EVERY EFFORT IS MADE TO ENSURE ACCURACY, ALL IMAGES ARE FOR ILLUSTRATIVE PURPOSES ONLY. DUE TO VARYING LIGHT CONDITIONS, IT IS NOT ALWAYS POSSIBLE TO SHOW THE TRUE COLOURS OF OUR PRODUCTS IN A PHOTOGRAPH. TO ENSURE YOU ARE COMPLETELY HAPPY WITH THE PRODUCT BEFORE ORDERING, YOU CAN ORDER SAMPLES AT [BRADSTONE.COM](http://BRADSTONE.COM) OR FROM OUR CUSTOMER CARE TEAM ON 01335 372289.



STONEMASTER BLOCK PAVING IN DARK GREY



# BradDrive® Cobblestone

 BRADDRIVE® COBBLESTONE BLOCK PAVING IN ANTHRACITE, INSTALLED BY BRADSTONE ASSURED LANDSCAPER PB LANDSCAPES OF MELBOURNE - WWW.PBLANDSCAPES.CO.UK

# BradDrive® Cobblestone

Design your perfectly authentic rustic driveway.

BradDrive Cobblestone gives you an authentic rustic effect, and with five different sizes you can create your own unique driveway. Engineered to withstand the heavy loads of modern vehicles, including heavier EV cars, your cobbles can be laid in a random pattern, a single colour or a mixture of colours for a more striking style.



BROWN (BR)



ANTHRACITE (AN)



GREY (GY)




BRADDRIVE® COBBLE

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Mixed sizes	N/A	AN/GR/BR	240	0.71*	6.16	N/A	N/A
<b>Thickness:</b> 60mm <b>Joint width:</b> Butt <b>Each pack contains:</b> 240 blocks (70 No. 220x135, 60 No. 200x135, 60 No. 175x135, 30 No. 160x135, 20 No. 145x135) <b>Please note:</b> *Pack weight includes jointing compound. Pack weight without jointing compound is 0.69t.							

### Important information:

A grey jointing compound can be included in the pack to ensure a professional and hassle-free finish.





# BradDrive® Slate



BRADDRIVE® SLATE BLOCK PAVING INSTALLED BY BRADSTONE ASSURED LANDSCAPER DARREN PLUMRIDGE - WWW.DPLUMRIDGE.CO.UK

# BradDrive® Slate

The perfect foundation for a showstopping welcome.

BradDrive Slate is a modern and sophisticated paving solution that combines the visual appeal of natural stone with the durability of high-quality concrete. Engineered to withstand the heavy loads of modern vehicles, including heavier EV cars, its unique slate-inspired finish and crisp straight edges create a strong, resilient, and long-lasting surface for a showstopping welcome. BradDrive Slate is available in one colour anthracite, with five different sizes in each pack enabling you to create your own unique driveway.




ANTHRACITE (AN)



BRADDRIVE® SLATE


	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Mixed sizes	N/A	AN	240	0.71*	6.16	N/A	N/A
<b>Thickness:</b> 60mm <b>Joint width:</b> Butt							
<b>Each pack contains:</b> 240 blocks (70 No. 220x135, 60 No. 200x135, 60 No. 175x135, 30 No. 160x135, 20 No. 145x135)							
<b>Please note:</b> *Pack weight includes jointing compound. Pack weight without jointing compound is 0.69t.							

FIND YOUR LOCAL STOCKIST AT BRADSTONE.COM/HOMEOWNER



## Important information:

A grey jointing compound can be included in the pack to ensure a professional and hassle-free finish.



# 5 steps to creating driveway greatness

Your driveway is a big opportunity for creating a great entrance to your home, with ultimate kerb appeal.



What's the trick to making it great? We love a design feature called, framing. It's about using blocks, pavers, and plants in a smart design to turn your functional parking space into a show-stopping feature! Here are 5 steps to making it happen.



**Find your colour**  
A top tip is to use a border colour that contrasts sharply with the main driveway (a dark frame against light paving, for example) to define the edge immediately. This consistent edge acts like a guiding rail, giving your front space great structure and flow.



LIGHT GREY (LG)



BRINDLE (BD)

**Bridge the gap**  
Why not create a mini rock garden area immediately next to your paving using decorative gravel? It's a beautiful, low-maintenance way to bridge the gap before the planting begins. You could also introduce low, stylish fencing to add further visual interest and define spaces. This works particularly well with Braddrive Cobblestone for an authentic look and feel.

**Entry point**  
Finally, define your entry point with large planters and pots placed strategically at the corners, and consider adding integrated lighting to create a dramatic, welcoming ambiance.

**Structure**  
The foundation starts with the hardscaping. Use Bradstone paving to create clean lines and a structured appearance. To define your space, create a bold border using block paving, this line clearly separates the car space from the garden.

**Create a living border**  
Bring texture and life to soften the edges with greenery, creating depth and a natural boundary. Begin with continuous, low garden beds outside your stone border, then layer the height. Add mid-to-tall shrubs (like structured evergreens) for privacy and to lift the eye. For the finishing touch, use low, creeping plants that spill gently over the stone, this blurs the harsh line between paving and garden.



Where some saw concrete, we saw **KERB APPEAL**

# StoneMaster®


## Mastering the look and feel of natural granite.

StoneMaster is a superbly realistic substitute for natural granite. Available in three grey shades, they're sold in single colour packs which you can mix to create the perfect look. StoneMaster is available in 50mm thick mixed sized packs containing four different sized pavers or in the ultra contemporary 60mm thick 300x100mm single size. It's also treated with Bradstone Surface Protection to make it less susceptible to stains from oil, grease and moss.

Why not coordinate your driveway with your garden paving? StoneMaster is also available in flag paving so you can continue the look around your whole home.



LIGHT GREY (LG)



MID GREY (MG)



DARK GREY (DG)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Single sizes	300 x 100	DG/MG/LG	240	0.96	7.20	33.30	N/A
Mixed sizes	N/A	DG/MG/LG	400	1.02	10.20	N/A	N/A

**Thickness:** 50mm mixed sizes, 60mm single sizes  
**Mixed size pack contains:** 400 blocks (80 No. 250x150, 80 No. 200x150, 160 No. 150x150 and 80 No. 100x150mm)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



STONEMASTER BLOCK PAVING IN LIGHT, MID AND DARK GREY

# Monksbridge

## A bridge to the look and style of yesteryear.

Monksbridge is perfect for the driveways of traditionally styled properties. With its subtle hues and authentic weather worn appearance, this distinctive block paving adds the rustic flair of a bygone age. It's available in five shades, all of which come in a pack that includes four different sizes.



CINDER (CIN)



ROYALE (ROY)



CROFT (CRO)



WOODLAND (WO)



GREY-GREEN (GG)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Mixed sizes	N/A	CIN/CRO/ROY/GG/WO	360	1.01	9.60	N/A	N/A

**Thickness:** 50mm  
**Each pack contains:** 360 blocks (80 No. 250x150, 100 No. 200x150, 120 No. 150x150 and 60 No. 100x150mm)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



MONKSBRIDGE BLOCK PAVING IN GREY-GREEN WITH WOODLAND BORDER, INSTALLED BY BRADSTONE ASSURED LANDSCAPER EVANS INNOVATION LANDSCAPING - WWW.EVANSINNOVATIONLANDSCAPING.CO.UK

# Woburn Rumbled

Create an unforgettable first impression.

Woburn Rumbled brings a delightful cobble style block paving to any driveway. This block paving features a weathered appearance and mottled effect, which helps create a sense of real period charm and character.

Go to [bradstone.com](http://bradstone.com) for the latest information and to order samples.



AUTUMN (AU)



RUSTIC (RU)



BRINDLE (BD)



GRAPHITE (GR)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	200 x 134	AU/BD/RU/GR	336	1.02	9.05	37.00	N/A
Paver	134 x 134	AU/BD/RU/GR	504	1.02	9.05	56.00	N/A
Paver	100 x 134	AU/BD/RU/GR	672	1.02	8.98	75.00	N/A

**Thickness:** 50mm (Also available in 60mm thickness in all colours)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



WOBURN RUMBLED BLOCK PAVING IN AUTUMN, INSTALLED BY BRADSTONE ASSURED LANDSCAPER P HALLIDAY LTD - [WWW.PHALLIDAYLTD.CO.UK](http://WWW.PHALLIDAYLTD.CO.UK)

# Woburn Rumbled Infilta

Create an unforgettable first impression.

Woburn Rumbled Infilta offers the distinctive period charm and character of Woburn Rumbled block paving. To be used with a permeable sub-base, it provides a surface that filters surface water away, stopping it from collecting on the driveway. This is particularly important in light of stringent legislation regarding front driveways. It's available in four shades, all of which perfectly complement the cobble style.

Go to [bradstone.com](http://bradstone.com) for the latest information and to order samples.



AUTUMN (AU)



RUSTIC (RU)



BRINDLE (BD)



GRAPHITE (GR)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	200 x 134	AU/BD/RU/GR	312	1.14	8.43	37.00	N/A
Paver	134 x 134	AU/BD/RU/GR	468	1.14	8.35	56.00	N/A
Paver	100 x 134	AU/BD/RU/GR	624	1.14	8.32	75.00	N/A

**Thickness:** 60mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



WOBURN RUMBLED INFILTA BLOCK PAVING IN RUSTIC, INSTALLED BY BRADSTONE ASSURED LANDSCAPER PRIESTGATE LANDSCAPES & HORTICULTURE LTD - [WWW.PRIESTGATE.CO.UK](http://WWW.PRIESTGATE.CO.UK)

# Piccolo Setts

## The eco-friendly, durable alternative to traditional clay pavers.

A new on-trend slimline block paver, giving the aesthetic of a traditional Dutch clay paver but with all of the performance benefits of concrete. Piccolo pavers are made in Britain with 50% less carbon than a standard clay paver alternative. The beauty of this paver is that you can use it for an entire space or 'mix and match' to make unique feature areas, pathways and borders. Available in four colours, in 200x50mm packs covering 6.4m<sup>2</sup>, it can be laid with numerous laying patterns to get the look you desire.

Offering better value than clay paving, not only are our pavers quick and easy to install with a nib free profile, they are also suitable for all pedestrian areas and areas subject to frequent vehicle movement.



TERRACOTTA (T)



TWILIGHT (TW)



SMOKE (SM)



SEPIA (SP)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Single size	200x50	T/TW/SM/SP	640	0.83	6.40	100	N/A

**Thickness:** 60mm **NB.** The driveway shown to the right is created using a unique blend of different colours in the Piccolo range.




NB. THE IMAGE SHOWN ABOVE IS A DRIVEWAY CREATED USING A UNIQUE BLEND OF DIFFERENT COLOURS IN THE PICCOLO RANGE.

# Kerbs

## The perfect finishing touch for block paving.

Kerbs are a great way to complete the look of your driveway, patio or path. Effortlessly combining style and practicality, while perfectly complementing any block paving and preventing vehicular overrun. The range comes in a variety of shades to complement or contrast your driveway.

Kerb accessories are available in Brindle and Charcoal in large and small sizes. Rumbled kerbs are also available in large size to complement our Woburn Rumbled paving in 3 shades.



	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Large kerb	200 x 125	BD/CH	192	0.90	19.20	10.00	N/A
Medium kerb	150 x 150	BD/CH	240	1.06	24.00	10.00	N/A
Small kerb	125 x 125	BD/CH	1	< 0.01	N/A	10.00	N/A

**Thickness:** 100mm **Joint width:** Butt  
 Also available for the large kerbs are a range of accessories which allow you to turn corners or edge a curved driveway.  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



# Woburn Original

Tough enough to cope and stand out.

Woburn Original is everything you need from a driveway. It's tough and uncompromising in performance to withstand the rigours of daily vehicle use. It's also beautifully contemporary and is available in four shades.



WOBURN ORIGINAL BLOCK PAVING IN GRAPHITE



AUTUMN (AU)



BRINDLE (BD)



RUSTIC (RU)



GRAPHITE (GR)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	200 x 134	AU/BD/RU/GR	336	1.02	9.05	37.00	N/A
Paver	134 x 134	AU/BD/RU/GR	504	1.02	9.05	56.00	N/A
Paver	100 x 134	AU/BD/RU/GR	672	1.02	8.98	75.00	N/A

**Thickness:** 50mm (Also available in 60mm thickness in Graphite and Rustic)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise

# Driveway

Real kerb appeal at an appealing price.

Driveway is a stylish block paving which adds visual appeal to any driveway. It's as easy on the eye as it is on the pocket, combining affordability with exceptional durability making it perfect for driveways as well as patios and paths. Available in six different colours and in one size.



DRIVEWAY BLOCK PAVING IN AUTUMN



BRINDLE (BD)



AUTUMN (AU)



CHARCOAL (CH)



BUFF (BF)



BURNT OKER (BO)



GREY (GY)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	200 x 100	AU/BD/BF/GY/CH/BO	488	1.11	9.76	50.00	N/A

**Thickness:** 50mm (Also available in 60mm thickness in all colours)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise

# Driveway Infilta

The driveway that drains as it rains.

Driveway Infilta is both stylish and practical. It's laid as part of a permeable solution, any water that lands on it simply drains away between the blocks, stopping surface water from collecting. It is specially designed to show an authentic block driveway. Importantly, it also satisfies all the stringent legislation regarding front driveways. Go to [bradstone.com](http://bradstone.com) for more information.



DRIVEWAY INFILTA BLOCK PAVING IN CHARCOAL



BRINDLE (BD)



AUTUMN (AU)



CHARCOAL (CH)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Paver	200 x 100	AU/BD/CH	404	0.99	8.08	50.00	N/A

**Thickness:** 60mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise

ASSURED LANDSCAPER TOP TIP

Try a contrasting **COLOUR OR TEXTURE** around the edge to define the space and give it an architectural look.

## Infilta installation solutions

High performance open graded aggregates specifically designed to provide controlled water management within Sustainable Drainage Systems (SuDS).



SUPERFLOW DRAINAGE AGGREGATE



SUPERFLOW BEDDING AGGREGATE



SUPERFLOW JOINT AGGREGATE

# Landscaping Features

Finishing touches that make all the difference.

Your perfect garden has your own distinctive stamp on it and Bradstone gives you the opportunity to create the finish of your dreams.

Steps	78
Walling	79
Setts	85
Edging	87
Stepping Stones	93



MODE PROFILED STEPS IN DARK GREY

# Mode<sup>®</sup> Profiled Steps

Mode Profiled Steps are the ideal partner for our Mode Profiled range. They can also be used in all other ranges in our porcelain collection as a contrast to enhance the garden design.



	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Steps	900 x 450	HG/SG/DG/GR	1	0.02	0.41	2.47	N/A


**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



MODE PROFILED STEPS IN DARK GREY


# Natural Stone Walling Slips

This range of walling slips comes in Natural Slate and Natural Sandstone with a set of complementary shades. For a superb natural stone look, they just stick to a block wall using a walling adhesive. The slips are Z-shaped giving the appearance a random look. Natural Stone or Porcelain is ideal as complementary coping for these walls.



	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Sandstone Slips	650 x 150	6	0.02	0.54	11.11	N/A
Slate Slips <sup>A</sup>	650 x 150	6	0.02	0.54	11.11	N/A

**Thickness:** \*17-30mm, †10-20mm **Joint width:** Butt  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise



NATURAL SLATE WALLING SLIPS IN BLUE-BLACK INSTALLED BY HLE LANDSCAPE DESIGN - WWW.HLELANDSCAPE.CO.UK

# Mode<sup>®</sup> Profiled Coping

Available in four shades, this coping is ideal to complement or contrast porcelain paving, depending upon the look you desire.



HONEY GOLD (HG)



DARK GREY (DG)



SILVER GREY (SG)



GRAPHITE (GR)

	Nominal size (mm)	Colours	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Coping	600 x 300	HG/SG/DG/GR	3	0.03	1.80	1.67	N/A

**Thickness:** 20mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



MATCHING PAVING AVAILABLE SEE PAGE 40

# Natural Sandstone Walling

A perfect complement to Natural Sandstone paving, these fully rumbled, double-sided blocks are easy to use for both straight and curved walls. Also ideal for step risers, fire pits or barbecues.



FOSSIL BUFF (FB)



SILVER GREY (SG)



FOSSIL BUFF COPING (FB)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Mixed sizes	N/A	285	1.15	5.70	N/A	N/A
Coping*	450 x 160	28	0.25	12.88	2.20	N/A

**Thickness:** 55-75mm, \*35-40mm **Joint width:** 10-15mm  
**Mixed size pack contains:** 285 blocks (60 No. 325x100, 100 No. 270x100 and 125 No. 215x100mm)  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



NATURAL SANDSTONE WALLING IN FOSSIL BUFF  
 MATCHING PAVING AVAILABLE SEE PAGE 34

# Textured Coping

This coping works perfectly together with Pitched walling. Also ideal for use as a stepping stone or long aspect paver.



BUFF (BF)

GREY (GY)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Textured coping	580 x 275	20	0.37	11.80	1.70	YES
Textured coping	580 x 136	24	0.22	13.92	1.70	YES

**Thickness:** 50mm **Joint width:** 10mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



TEXTURED COPING IN GREY MATCHING PAVING AVAILABLE SEE PAGE 28

# Pitched Walling

These pitched single blocks can be used to easily build both straight and curved walls. It is available in three sizes and two shades and is designed for use with Textured Coping.



BUFF (BF)

GREY (GY)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Pitched walling	290 x 136	50	0.45	2.20	22.80	YES
Pitched walling	290 x 63	216	0.86	4.70	45.70	YES
Pitched walling	215 x 63	202	0.65	3.30	60.90	YES

**Thickness:** 90mm **Joint width:** 10mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



PITCHED WALLING IN FOSSIL BUFF

# Screenwall Walling

This double-sided block is mainly used to renovate existing walling. The Saddleback Coping and Pyramid pier caps complement Screenwall or brick walls perfectly, and come in two sizes.



(LEAF BLOCK)  
OFF-WHITE (OW)



(PYRAMID PIER CAP)  
OFF-WHITE (OW)



(SADDLEBACK COPING)  
OFF-WHITE (OW)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Leaf block	290 x 290 x 90	48	0.49	4.33	11.10	YES
Saddleback coping	610 x 280 x 55	12	0.18	7.44	1.60	YES
Saddleback coping	610 x 140 x 55	24	0.18	14.88	1.60	YES
Pyramid pier cap	380 x 380	12	0.18	N/A	N/A	YES
Pyramid pier cap	305 x 305	24	0.21	N/A	N/A	YES

**Joint width:** 10mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



# Natural Sandstone Setts


A range of setts that can be used to add detailed areas to a patio or used as a flat edging.



FOSSIL BUFF (FB)



AUTUMN GREEN (AGR)



SUNSET BUFF (SB)



SILVER GREY (SG)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Setts	100 x 100	750	0.77	8.80	85.00	YES

**Thickness:** 30-45mm **Joint width:** 15-20mm **Country of origin:** India  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



# Natural Granite Setts

Ethically sourced from our global suppliers, our granite sett is great for adding feature areas such as paths or borders.



SILVER GREY (SG)  
(SPLIT ALL SIDES)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Split all sides	100x100	900	1.25	10.84	83.00	YES
<b>Thickness:</b> 50mm <b>Joint width:</b> 5-15mm						
<b>Please note:</b> Number per pack can vary by up to 30%						
<b>Please note:</b> Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.						



## Assured Landscaper Top Tip

"Let your creativity run free with Setts. Incorporate as much or as little of a design to bring your ideas to life."

SILVER GREY (SPLIT ALL SIDES) SETTS AND ROMELI BUFF BLEND PAVING INSTALLED BY BRADSTONE ASSURED INSTALLER P B LANDSCAPES OF MELBOURNE - WWW.PBLANDSCAPES.CO.UK

# Mode<sup>®</sup> Profiled Edging

An ideal finish to your porcelain patio, available in four shades. Perfectly complements Mode Profiled paving but can be used with all of our porcelain range to complete your garden project.



HONEY GOLD (HG)



DARK GREY (DG)



SILVER GREY (SG)



GRAPHITE (GR)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Mode Profiled edging	595 x 295	0.03	1.80	1.67	N/A	N/A
<b>Thickness:</b> 20mm <b>Joint width:</b> Butt						
<b>Please note:</b> Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.						



MODE<sup>®</sup> PROFILED EDGING IN SILVER GREY

# Natural Sandstone Edging

This versatile riven profile can be used as both edging and coping for walling. It beautifully complements Natural Sandstone paving.



FOSSIL BUFF (FB)



NATURAL SANDSTONE EDGING IN FOSSIL BUFF

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Natural Sandstone* edging	450 x 160	28	0.25	12.88	2.20	N/A
<b>Thickness:</b> 35-40mm <b>Joint width:</b> 10-15mm						
<b>*Please note:</b> Natural stone varies in colour and mineral content.						
<b>Please note:</b> Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.						

# Eco Countryside Edging

With a distinctive and stylish black fleck shade which closely resembles natural granite, this environmentally-friendly edging has up to 45% recycled or reclaimed material.



BLACK FLECK (BF)



ECO COUNTRYSIDE EDGING IN BLACK FLECK

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Eco Countryside edging	914 x 150	40	0.68	36.56	1.09	N/A
<b>Thickness:</b> 50mm <b>Joint width:</b> 5mm						
<b>Please note:</b> Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.						

# Stonewood<sup>®</sup> eco™ Edging

These rugged, rustic wood-effect sleepers have weathered, authentic profiles and are available in three sizes.



ANTIQUE BROWN (AB)



ANTIQUE BROWN (AB)



ANTIQUE BROWN (AB)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Stonewood Sleeper edging	900 x 250*	23	0.69	20.90	1.10	N/A
Stonewood Sleeper edging	600 x 250	29	0.36	17.70	1.60	N/A
Stonewood Sleeper edging	250 x 250	46	0.26	12.00	3.80	N/A

**Thickness:** 40mm, \*50mm **Joint width:** 5mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



STONWOOD ECO EDGING IN ANTIQUE BROWN

# Textured Edging

Available in two subtle and elegant shades, this medium textured edging beautifully complements Textured paving.



BUFF (BF)



GREY (GY)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Textured edging	580 x 275	20	0.37	11.80	1.70	YES
Textured edging	580 x 136	24	0.22	13.92	1.70	YES

**Thickness:** 50mm **Joint width:** 10mm  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.



TEXTURED EDGING IN BUFF

# Scalloped Edging

Just the job when budgets are tight, this edging offers excellent value for money.



	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Scalloped edging	600 x 150	48	0.37	28.80	1.70	YES

**Thickness:** 50mm **Joint width:** Butt  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.

# Round Top Edging

A great value edging which comes in attractive Buff, Grey and Dark Grey colour options.



	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Round Top edging	600 x 150	48	0.37	28.80	1.70	YES

**Thickness:** 50mm **Joint width:** Butt  
**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.

# Stepping Stones

Stepping stones are a charming feature in any garden. Set in lawns and gravel or even in borders interspersed with planting, they offer a practical way to walk about your garden, add interest and character.

## Random



RANDOM STEPPING STONE WEATHERED BROWN (WB)



RANDOM STEPPING STONE WEATHERED GREY (WG)

## Round



ROUND STEPPING STONE BROWN BLEND (BRB)



ROUND STEPPING STONE CREAM BLEND (CRB)

## Natural Sandstone



NATURAL SANDSTONE STEPPING STONE FOSSIL BUFF (FB)

## Natural Limestone



NATURAL LIMESTONE STEPPING STONE BLUE-BLACK (BB)

## Stonewood®



STONEWOOD® STEPPING STONE ANTIQUE BROWN (AB)

	Nominal size (mm)	Units/pack	Nominal pack weight (t)	m <sup>2</sup> /pack	Units/m <sup>2</sup>	Order Choice
Random stepping stone	450 x 350	70	0.80	N/A	32	YES
Round	Ø 450	70	0.80	N/A	32	YES
Natural Sandstone*	300 x 450	56	0.50	N/A	22	YES
Natural Limestone*	300 x 450	56	0.50	N/A	22	YES
Stonewood	290-450	36	0.47	N/A	50	YES

**Please note:** Products shown as available as 'order choice' come in multiples of one, unless stated otherwise.  
**\*Country of origin:** India. Natural stone varies in colour and mineral content. See page 94-97 for additional information.



RANDOM STEPPING STONE IN WEATHERED BROWN

# Additional information

## Product Images

The designs shown in the brochure are for illustrative purposes only. Every effort is made to ensure the accuracy of all content in this guide, however due to varying light conditions it is not always possible to show the true colours of products in a photograph. Before ordering please always view a sample of current stock. You can do this in several ways: By ordering a **FREE** sample from **bradstone.com** or by calling **01335 372289** or by visiting a display at your local stockist (to find your nearest stockist visit **bradstone.com**)

## Cost

You can find prices at your local stockist who will be able to advise on the price of paving. Please be aware that paving is just one element of the total cost and is rarely the largest outlay. It's usually about 20% of the cost of the whole project.

## Sizes and joint widths

Size dimensions quoted within this brochure are nominal and for guidance only. Actual sizes will vary, particularly where riven profiles and fettled edges are a feature of the product. Always dry lay the product to check area required (especially circles and patio kits). See joint widths recommended for products in the technical information. All m<sup>2</sup> coverage is approximate and may vary. All our products are manufactured to

industry standard tolerances.

## General information

Bradstone products that are British made are indicated with a British flag icon.

Bradstone products and materials, unless otherwise stated, are for domestic landscaping and driveway projects.

Decorative flag paving and some edgings are not recommended for use on driveways. All products must be checked on arrival and in the unlikely event of products reaching you in a less than satisfactory condition, please refer to your stockist immediately, allowing time for the rejected product to be replaced.

When you receive your product you may notice minor scuffing on the surface. This can occur due to movement in transit and will generally disappear in time. De-icing salts should not be used on concrete or natural stone ranges. Bradstone does not recommend the use of jet/ power washers as this may affect the surface of the product over time.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant life; specialist maintenance advice

may need to be sought.

For advice on cleaning and general maintenance of your patio please refer to our website.

Holcim UK cannot accept responsibility for any of the above conditions. Should you require further advice in this area call our customer care team on **01335 372289**.

## Health and safety

Due to the nature of our products we always recommend suitable lifting equipment be used for larger products such as 1200 x 600mm and 900 x 900mm pavers. We recommend the use of lifting equipment such as a vacuum lift.

- Always wear gloves and safety footwear when handling the product.
- Always wear safety goggles, safety footwear, gloves, ear protection and appropriate respiratory protection when using cutting equipment.
- Ensure the products are on level ground and retained in some way before removing any packaging.
- Always handle with care as breakage and chipping may result from mishandling.

## Order Choice

The Bradstone Order Choice service means that at

# Key product information

an additional cost you can order certain products from any Bradstone stockist, even if they do not actually stock that particular product. Simply ask your stockist.

**Please note:** We do not split patio feature kits.

## Bradstone Assured terms and conditions

Bradstone Assured landscapers are subject to regular quality checks and assessments and are required to abide by the Bradstone Assured terms and conditions of membership at all times. Bradstone offers a 10 year guarantee on all Bradstone products Installed by Bradstone Assured landscapers with the exception of Peak and a 5 year guarantee on the installation of Bradstone products by a Bradstone Assured landscaper for a reasonable domestic use. All guarantees are subject to a completed card being returned to the Bradstone offices and a certificate having been issued. Terms and conditions apply please see our website for more details.

Each Bradstone Assured landscaper is directly responsible for the management of the relationship with their customers and any enquiries. Please note that the resulting legal contract is between you and the Bradstone Assured landscaper and is subject to the terms and

conditions of that member. They will advise you of these conditions themselves.

You should carefully review their terms and conditions applying to the purchase of your products and/or services. Claims or suggestions should be addressed directly to the Bradstone Assured landscaper providing the relevant products or services.

**Please note:** Pointing materials are not covered in the Bradstone Assured Guarantee.

## Block paving

Colour variations can occur within packs, therefore:

Ensure your sample and blocks are from the same factory. Block paving should be ordered from the same batch number to avoid colour variation. Do not mix blocks from different factories. Bradstone cannot accept responsibility once blocks are laid from different batches. The responsibility of ensuring this is correct lies with the landscaper. Best results are achieved through mixing from 3 to 5 different packs and from vertical columns rather than horizontal rows.

We recommend a neoprene faced or rubber sole plate on vibrating plate compactors to reduce scuffing (specifically on our StoneMaster, BradDrive Cobblestone and Woburn Original

ranges). Light colours are susceptible to staining and care should be given when selecting blocks for driveways.

## Slurry Primer

The British Standard recommends that a slurry primer should be applied to the underside of all paving prior to laying to improve adhesion.

**Natural stone colour and maintenance** All natural stone products (Sandstone, Limestone and Granite) will have colour and texture variation to a greater or lesser extent within single pieces and from piece to piece.

We recommend a reasonable amount of product is viewed at your local stockist before ordering. Natural stone products may contain minor imperfections. These will depend on the characteristics of the product i.e. fossils, ferns, veining and quartz. Natural stone may develop added marking, deposits or patches as mineral content oxidises.

Product should be mixed from a number of packs prior to installation. Natural stone should always be laid on a full wet mortar bed.

A slurry primer is recommended to be applied to the underside of all Natural Stone paving but is essential for Smooth Natural Sandstone and Granite paving prior to laying to improve adhesion.

# Key product information

## Sandstone

Sandstone needs to be handled very carefully when installing to minimise staining.

The Silver Grey colour in all of our Natural stone products will vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. Being pale in colouration, this natural weathering is more obvious with Silver Grey compared to other natural products in the Bradstone range.

## Natural Granite

A slurry primer should be applied to the underside of Granite paving prior to laying to improve adhesion.

Do not use a resin based jointing compound with Granite.

## Limestone

Indian Blue/Black Limestone is UV sensitive and over time will lighten in colour. We do recommend sealing limestone prior to laying, or as soon after laying when practically possible. Combined colour enhancers and sealers are available that will help keep the look for longer. Never use acidic based products during or after installation.

## Porcelain paving

Manufactured from the finest raw materials, under strict controls allows us to obtain the exceptional technical characteristics which sets porcelain paving apart.

Anti-slip surface resistance

- All Bradstone porcelain paving = R11 except for Mode Profiled Internal paving

Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart.

The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of Bradstone porcelain paving.

Apply as per instructions given on the tub. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturer's instructions and applied with care it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid.

Bradstone porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping. There is a porcelain laying guide on [bradstone.com](http://bradstone.com).

Bradstone porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with a porcelain cleaner will help to keep the paving looking its best.

Dependent on the type of stain/surface residue present (i.e. suction marks, grease, grout, general building site dirt,) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturer's instructions first before applying to any test area.

Rectified paving is intentionally produced slightly

oversize, then cut or ground on all 4 sides to very precise tolerances.

## Concrete colour and maintenance

Colours may vary subtly, especially in blended shades. Colours will appear different during varying weather conditions such as sunlight and rain. Please check colour samples in dry conditions and in full daylight. Where possible, products should be selected from the same product batch. Our Peak paving should not be used for patios or areas where aesthetics are important.

## Differential Weathering

Differential weathering can cause patchy dark discolourations on the surface of individual units. Again this will generally diminish over time and will not affect long term performance. This is due to differential weathering where the surface of the paving has cured at different rates. All decorative products will weather and change appearance over time.

## Efflorescence

Efflorescence can appear on all paving products as white patches or a lightening of the surface colour, but seems to disappear when wet. It is formed by a normal chemical reaction which causes calcium hydroxide (lime) to migrate through the

damp paving surface and then react with carbon dioxide in the atmosphere resulting in a deposit of calcium carbonate crystals. Efflorescence is very unpredictable in its occurrence and can happen at any time of the year but is more prevalent in winter.

Although there are cleaners available, efflorescence is a natural phenomenon and will generally disappear with the natural weathering process and the passage of time. It does not compromise the integrity of the paving. Holcim UK cannot accept responsibility for the effect of efflorescence which can be a characteristic of all good quality products with a high cement content. For more information visit [bradstone.com](http://bradstone.com)

## Bradstone information

Bradstone reserves the right to alter specifications without prior notice. All products and services shown in this brochure are supplied subject to Holcim UK Ltd terms and conditions of sale.

No charge is levied for this brochure or the advice therein, and accordingly the company, its employees and authorised agents can accept no liability whatsoever, either directly or indirectly arising from the use of its products in connection with any information or advice contained in this guide.

Bradstone is part of Holcim UK Ltd.

Holcim UK is the first company in the world to achieve a BES 6001:2008 Responsible Sourcing Certificate from BRE Global. Products are assessed on:

- Quality management
- Environmental management
- Health and safety management
- Greenhouse gas emissions
- Minimising raw material usage
- Labour practice
- Biodiversity
- Community engagement.

All Bradstone's manufacturing facilities are covered by BS EN ISO 9001 certification for product quality and service. Bradstone block paving products are also manufactured to, and in accordance with, BS EN 1338.

Each of the Bradstone manufacturing locations is certified to ISO 14001 for environmental management systems and 18001 for occupational health and safety. All dimensions quoted in this brochure are nominal and are for guidance only. Actual sizes may vary. Our products also conform to European harmonised standards for CE marking.

# Keep your patio or driveway in a beautiful condition for years

All Bradstone paving is designed to withstand not only the elements but the rigours of everyday life too. But, there are a number of very simple and effective things you can do to keep your paving in tip-top condition and looking great.

The sweep of a stiff broom and some hot soapy water can do the trick and help prevent the build-up of dirt. Occasionally you can use a patio or driveway wash to enhance the appearance.

And how could we forget weeds? Sometimes there's no getting away from them. They can take years to pop up, but if they finally do keep them at bay by pulling them up from the roots.

Then there are the natural effects of the environment. Occasionally, after a few weeks or months, white patches may appear on the surface of paving stones. This is known as efflorescence or white bloom. It's a natural phenomenon and can occur with all cement-based products, as well as other paving products. More about this and other maintenance information can be found on our website.

Scan the QR code with your smartphone for cleaning and maintenance tips



## Index

Aged Riven ECO .....16	Mahina® .....26	Natural Stone walling slips.....79	Screenwall walling.....84
Ashbourne™ ECO .....18	Metallics ..... 50	Old Riven ECO ..... 14	Serameno® .....44
Blended Natural Sandstone .....36	Mode® Profiled ..... 40	Old Town® ECO ..... 12	StoneMaster® .....27
BradDrive® Cobblestone .....62	Mode® Profiled coping ..... 80	Peak .....29	StoneMaster® block paving..... 68
BradDrive® Slate.....64	Mode® Profiled edging .....87	Piccolo Setts ..... 72	Stonewood® ECO edging ..... 90
Carpet Stones.....24	Mode® Profiled steps .....78	Pitched walling.....83	Stonewood® stepping stone .....93
Driveway ..... 74	Monksbridge..... 69	Pyramid pier cap.....84	Tatra® ..... 57
Driveway Infilta.....75	Natural Granite setts..... 86	Random stepping stone.....93	Textured .....28
ECO Countryside edging..... 89	Natural Limestone .....32	Rock ..... 51	Textured coping .....82
Edale ECO ..... 20	Natural Limestone stepping stone ....93	Romeli® .....42	Textured edging ..... 91
Falona® .....56	Natural Sandstone.....34	Round stepping stone .....93	Upland® .....52
Fooria® .....59	Natural Sandstone edging..... 88	Round top edging.....92	Vala® .....46
Heartwood® .....53	Natural Sandstone setts.....85	Saddleback coping.....84	Woburn Original ..... 74
Installation Solutions .....75	Natural Sandstone stepping stone.... 93	Scalloped edging .....92	Woburn Rumbled .....70
Kerbs.....73	Natural Sandstone walling ..... 81	Woburn Rumbled Infilta .....71	

### My Bradstone Assured Landscaper's details

.....

.....

.....

Hulland Ward, Ashbourne  
Derbyshire DE6 3ET  
Bradstone consumer helpline: 01335 372289  
General enquiries: 01335 372222  
Email: [hello@bradstone.com](mailto:hello@bradstone.com)

**BRADSTONE**<sup>®</sup>  
Create your **GREAT** outdoors

[bradstone.com](http://bradstone.com)

