



Relax

THIS SUMMER



WITH YOUR TRUSTED LANDSCAPING SUPPLIER

Create your green escape

Creating the perfect garden means different things to different people... so if the outcome pleases you, we'd say that is a success! Enjoy finding some inspiration to create your green escape.

Contents

Bringing joy to your garden again!

4	Patio & Paving
40	Block Paving
44	Natural Stone Paving
48	Porcelain Paving
54	Aggregates
55	Decorative Aggregates
58	Rockery
59	Essentials
61	Horticultural
62	Stepping Stones, Walling & Edging
74	Landscaping Essentials
78	Patio Construction & Care
84	Important Information



Est 1983

Welcome

We are a family business that over the years has become one of the UK's market leaders in landscaping and gardening materials.

Our products help you create an inspiring garden that suits your lifestyle, whether it's the hub of family activity or your peaceful retreat away from the world.

Visit us at our showroom

Bowland Stone

1 Cole Road, St. Philips,
Bristol BS2 0UG

t: 01179 557530

e: bristol@bowlandstone.com

Find even more inspiration at www.bowlandstone.com



Patio & Paving

Every style for every garden

- 6 Baroque
- 8 Cathedral
- 12 Chalice
- 16 Chapter
- 17 County
- 18 Cloister
- 20 Deckpave
- 22 Lakeland
- 26 Prestbury
- 30 Rectory
- 32 Sleeper
- 33 Somerset
- 34 Stratford
- 36 Sun Circle & Aurora
- 38 Victorian Setts
- 39 Windsor

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.



Baroque

6




Limestone

Baroque Limestone

Baroque


Baroque paving's sleek smooth lines and finely indented surface make it a very tactile product.

A style that will fit right in, giving you the perfect amount of imperfection to feel right at home. Baroque can be used alone to create a beautiful patio area or combine it with our Baroque Oval feature for a striking effect.




Baroque Oval Limestone

PLANS



Baroque Paving 5.76m²



Baroque Oval 3.2m

Corner infill set sold separately

Baroque

The Oval has a unique shape with a beautiful finish that will look stunning in any style of garden.

Specifications

PAVING PACK

Baroque Paving 5.76m²

Approx. Size: 2400mm x 2400mm	Pallet weight: 392.4 kg
Contents: 12 = 600 x 400 10 = 400 x 400 16 = 400 x 200	

OVAL PATIO PACK

Baroque Oval 3.2m

Approx. Size: 3200mm x 2200mm	Approx. Size with infills: 3200mm x 2400mm
Pallet weight: 390 kg	Infill pallet weight: 199 kg
Contents: 30 specific shapes	Infill contents: 20 specific shapes

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 400 (A)	4.2	15.5	6	25	387.5
400 x 400 (B)	6.3	11	8	50	550
200 x 400 (C)	12.5	5.5	4	50	275

Thickness: 32mm

7

Cathedral

8



COLOURS

Weathered Moss Weathered York Barley

Cathedral Weathered Moss

Cathedral


The Cathedral paving range has a distinct rough-hewn texture that has been blended into three natural tones.

The weathered textures and tones of our Cathedral paving work beautifully with contemporary and traditional houses.




Cathedral Circle Barley

PLANS



Cathedral 5.76m²



Cathedral 7.29m²

Cathedral Circle

Complete your patio with our circular feature available in 3 sizes or individual pieces. See page 10.

Specifications

PAVING PACKS

Cathedral 5.76m²

Approx. size:
2400mm x 2400mm

Pallet weight:
484.4 kg

Contents: **9** = 600 x 600 | **11** = 600 x 300 | **6** = 300 x 300

Cathedral 7.29m²

Approx. size:
2700mm x 2700mm

Pallet weight:
586 kg

Contents: **12** = 675 x 450 | **9** = 450 x 450 | **18** = 450 x 225

PAVING STONES

Sizes	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
675 x 450 (A) *	3.3	25	7.6	25	625
600 x 600 (B)	2.8	30	8.9	25	750
600 x 300 (C)	5.5	14.5	9.1	50	725
450 x 450 (D)	5	15.5	10	50	775
450 x 225 (E)	10	8	5	50	400
300 x 300 (F)	11	7.5	4.5	50	375

* Only available within 7.29m² Paving Pack Thickness: 38mm


9

Cathedral Circle


The Cathedral Circle is a perfect and flexible solution to creating a striking feature.

Available in various sizes and easily integrated into your patio using our corner infill sets.


PLANS



Cathedral Circle
1.8m (dia)



Cathedral Circle
2.56m (dia)



Cathedral Circle
3.48m (dia)



Corner infill sets
sold separately




Complement

Meadow Walling Blocks perfectly complement Cathedral Paving, creating an authentic, rustic look.



Cathedral Paving/Circle, Barley/Meadow Walling Barley


COLOURS



Weathered Moss



Weathered York



Barley

Specifications

CIRCLE PATIO PACKS

Cathedral Circle 1.8m

Approx. size:
1800mm (dia)

Pallet weight: 216 kg

Contents:
36 specific shapes

Approx. size with infills:
1800mm x 1800mm

Infill pallet weight: 69 kg

Infill contents:
12 specific shapes

Cathedral Circle 2.56m

Approx. size:
2560mm (dia)

Pallet weight: 416 kg

Contents:
56 specific shapes

Approx. size with infills:
3000mm x 3000mm

Infill pallet weight: 317 kg

Infill contents:
20 specific shapes

Cathedral Circle 3.48m

Approx. size:
3480mm (dia)

Pallet weight: 754 kg

Contents:
76 specific shapes

Approx. Size with infills:
3600mm x 3600mm

Infill pallet weight: 340 kg

Infill contents:
20 specific shapes

Chalice

12



COLOURS

Chalice Paving, Honey Brown


Chalice

Our Chalice paving recreates the look and feel of natural stone with a gentle, riven surface.


Lovingly crafted on all surfaces, so when an edge is visible the patio has the realistic appearance of age-old stone. Chalice is available in three unique colours, Honey Brown, Grey and Welsh Slate. The colours combine various hues to produce a stunning, warming blend that recreates the appearance of natural stone.



PLANS



Chalice Paving 5.76m²



Chalice Paving 7.29m²

Chalice Circle

Why not add another dimension to your Chalice Paving by adding a Chalice Circle feature.

Specifications

PAVING PACK

Chalice 5.76m²

Approx. size:
2400mm x 2400mm

Pallet weight:
405.5 kg

Contents: 9 = 600 x 600 | 11 = 600 x 300 | 6 = 300 x 300

*Not available in Grey.

Chalice 7.29m²

Approx. size:
2700mm x 2700mm

Pallet weight:
450.5 kg

Contents: 25 = 450 x 450 | 22 = 450 x 225

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 600 (A)*	2.8	25.5	10.7	30	765
600 x 300 (B)*	5.5	13	10.9	60	780
300 x 300 (C)*	11	6	5.5	60	360
Thickness: 35mm					
450 x 450 (D)	5	12.5	12	60	750
450 x 225 (E)	10	6.5	6	60	390

*Not available in Grey.

Thickness: 32mm


13

Chalice Circle


Our Chalice Circle is available in Honey Brown and Welsh Slate and adds another dimension to your Chalice Paving.

Available on its own or complete with corner infill set(s).


PLANS




Chalice Circle 1.5m (dia)



Corner infill set not included with the Chalice Circle 1.5m (dia)



Chalice Circle 3.24m² (with corner infill set)



Chalice Circle 7.29m² (with corner infill set & paving)




Complement

Give your patio that 'edge', finish off with our perimeter edging creating a neat, striking border.




Chalice Circle and Paving, Honey Brown

COLOURS



Honey Brown



Welsh Slate

Specifications

CIRCLE PATIO PACKS

Chalice Circle 1.5m

Approx. size:
1500mm (dia)

Pallet weight:
134 kg

Contents: 12 Specific shapes

Chalice Circle 3.24m² Pack

Including corner infill set

Approx. size:
1800mm x 1800mm

Pallet weight:
210 kg

Contents: 24 Specific shapes

Chalice Circle 7.29m² Pack

Including corner infill set & paving

Approx. size:
2700mm x 2700mm

Pallet weight:
462 kg

Contents: 44 Specific shapes

Chapter

Chapter's subtle worn-smooth riven appearance is suitable for many spaces.

Our Chapter circle allows stunning circle designs to be incorporated into your patio and is available to purchase completely individually giving you complete flexibility of design.


Specifications

CIRCLE PATIO PACKS

Chapter Circle 2m¹	
Approx. size: 2000mm (dia)	Pallet weight: 270 kg
Chapter Circle 3m¹	Corner Infill set is sold separately
Approx. size: 3000mm (dia)	Approx. size with infills: 3000mm x 3000mm
Pallet weight: 622 kg	Infill pallet weight: 180 kg
Contents: 52 specific shapes	Infill contents: 20 specific shapes
Chapter Circle 4m¹	
Approx. size: 4000mm (dia)	Pallet weight: 1110 kg


Thickness: 38mm

PLANS




Chapter Circle 1m, 2m, 3m (dia)

Corner infill set only for Chapter 3m circle



Chapter Circle, Barley

PATIO & PAVING



County Paving, Mid Grey

PATIO & PAVING

County

County is a tactile, lightly textured paving that is dynamic enough to suit any garden.

Only one size in this range but 'less is more' is definitely the case with this on-trend mid grey paving. Line up all your edges for a sleek, contemporary look or off set them on each row to give a more relaxed feel.

Specifications

PAVING STONES					
Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
450 x 450	5	15.7	8	40	628

Thickness: 38mm

Catherine Wheel



18

COLOURS

Weathered Slate Barley

Catherine Wheel Weathered Slate


Catherine Wheel

Looking for something different? Our Catherine Wheel provides a stunning visual display for your garden, with a sawn edge enhancing its appearance of 'old stone'. Corner Infill Sets are available to allow you to integrate this circular design up against straight edges.

The Catherine Wheel has a natural worn look allowing it to instantly fit in with its surroundings and works in harmony with any type of garden. Matching stepping stones are also available to complete the look.



PLANS



Catherine Wheel

Corner infill set sold separately

Complement

You are spoilt for choice, with various options to pair with the stunning visual of the Catherine Wheel.

You can add it to your every step with the matching stepping stones or use the beautiful Meadow Walling to add that rustic touch.

Specifications

CIRCLE PATIO PACKS

Catherine Wheel	Corner infill sets
Approx. size: 2090mm (dia)	Approx. size with infills: 2280mm x 2280mm
Pallet weight: 315 kg	Infill pallet weight: 174 kg
Thickness: 38mm	



19



Brown Oak

Deckpave, Brown Oak

Deckpave

Our natural looking, durable Deckpave tiles will add flair to any garden patio.

They are made to fade like real wood but have many advantages to traditional decking including durability, and less upkeep.



Complement

The rich brown textured wood look of our Deckpave teamed perfectly with our light coloured cotswold chipping and bright pops of colour from pots and plants.




Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
500 x 500	4	19.1	6.25	25	477.5

Thickness: 35mm



Lakeland



Cumbrian Slate

Lakeland Cumbrian Slate

Lakeland


Our ever-popular Lakeland range brings the unmistakable look and texture of natural slate to your garden.

Lakeland Paving is available in classic Cumbrian Slate in our convenient paving packs or individual sizes can be made to order.

For a classic natural slate look our Lakeland range is perfect. If you turn to page 66 you can find out more about our accompanying Lakeland Walling offering you a wide range of possibilities when creating your outdoor space.



PLANS



Lakeland 5.76m²

Complement

Use our Lakeland Edging Stones as a coping and create versatile planters on top of a wall.

Specifications

PAVING PACK

Lakeland 5.76m²

Approx. size:
2400 x 2400mm

Pallet weight:
475 kg

Contents: 12 = 600 x 400 | 10 = 400 x 400 | 16 = 400 x 200

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 400 (A) †	4.2	20.12	6.0	25	503
400 x 400 (B) †	6.3	13	8.0	50	650
400 x 200 (C) †	12.5	6.5	4.0	50	325

† Made to order (MTO)


Thickness: 35mm

Lakeland Star & Sun


Our Lakeland Star and Sun Patio Packs are the perfect feature to create a striking contemporary design that will bring the wow factor to your garden.

Both come complete in a mix of two dramatic colours, Cumbrian Slate and Gold, with our Star design now also available in a striking combination of Welsh Slate and Portland Grey.

PLANS



Lakeland Star 5.76m²



Lakeland Sun 5.76m²




Lakeland Star

Reach for the stars with our striking Lakeland Star Patio Pack.



Cumbrian Slate/Gold



Welsh Slate/Portland Grey*

COLOURS



Lakeland Sun

*Available for Lakeland Star only.

Specifications

PATIO PACKS

Lakeland Sun 5.76m²

Approx. size:
2400 x 2400mm

Pallet weight:
471 kg


Lakeland Star 5.76m²

Approx. size:
2400 x 2400mm

Pallet weight:
453 kg

Thickness: 35mm

Thickness: 35mm



Prestbury




Portland Grey
Prestbury Paving, Portland Grey

Prestbury

A high quality paving with a gentle texture and a smart, sophisticated appearance – you won't believe it's not porcelain!

With its fine, clean lines and smart design it's the perfect choice for the modern garden, creating a contemporary style you'll enjoy for years. Available in our natural-looking portland grey colour, which will suit any property.

PLANS



Prestbury Paving 5.76m²



Prestbury Chevron

The geometric style of our Prestbury Chevron gives any garden a modern feel.

Specifications

PAVING PACK

Prestbury Paving 5.76m ²	
Approx. size: 2400 x 2400mm	Pallet weight: 462.2 kg
Contents: 12 = 600 x 400 10 = 400 x 400 16 = 400 x 200	

PAVING STONES

Size	Unit / m ²	Unit weight
600 x 400 (A)*	4.2	18.2
400 x 400 (B)*	6.3	12.6
400 x 200 (C)*	12.5	6.2


*Only available as a paving pack
Thickness: 32mm

Prestbury WAVE & CHEVRON


Create a unique garden space with our stylish Prestbury range.

Our Prestbury Chevron is available in the stylish Welsh Slate colour while the Prestbury Wave comes in calming Grey. Whether you choose the straight geometric lines of the Chevron or the soothing lines of the Wave, both will give your garden a dynamic and inspirational look.

PLANS




Prestbury Chevron 5.54m²



Prestbury Wave 5.76m²



Prestbury Chevron, Welsh Slate



Prestbury Wave, Welsh Slate

COLOURS

Grey	Welsh Slate



Prestbury Wave and Victorian Scroll

Complement

Perfect paired with a contrasting edging.

Specifications

PATIO PACKS

Prestbury Chevron 5.54m²

Approx. size:
2250 x 2460mm

Pallet weight:
441 kg

Thickness: 35mm

Prestbury Wave 5.76m²

Approx. size:
2400 x 2400mm

Pallet weight:
462 kg

Thickness: 35mm

Rectory




Rectory Paving Welsh Slate


Rectory

With its deep, heavy riven surface, Rectory Paving is full of character, ideal for creating idyllic spaces with a rural impression.


The traditional appearance of Rectory gives refinement to paved areas. Available in a convenient 5.76m² paving pack or individual sizes made to order.



PLANS



Rectory Paving 5.76m²



Rectory Circle 3.24m²

Corner infill sets sold separately

Complement

Contrast the traditional appearance of Rectory Paving with a modern driveway rumbled block, creating a statement entrance.

Specifications

PAVING PACK

Rectory Paving 5.76m ²	
Approx. size: 2400 x 2400mm	Pallet weight: 408 kg
Contents: 9 = 600 x 600 11 = 600 x 300 6 = 300 x 300	

PATIO PACK

Rectory Circle 3.24m ²	
Approx. size: 1800 x 1800mm dia	Pallet weight: 246.7 kg
Contents: 13 specific shapes	

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 600 (A)	2.8	25	10.71	30	750
600 x 300 (B)	5.5	12	10.91	60	720
450 x 450 (C) †	5	14	10.00	50	700
300 x 300 (D)	11	6	5.45	60	360

† Made to order (MTO) Thickness: 32mm

Sleeper


Sleeper Paving captures the warm textures of real timber, without the maintenance.

Beautiful and durable, Sleeper Paving will bring a welcoming rustic feel to your garden. Available in three sizes.


Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
900 x 225	4.9	20.5	4.1	20	410
675 x 225	6.6	15.5	3	20	310
225 x 225	20	5	2	40	200

Thickness: 45mm



Sleeper Paving, Brown Oak with Highland Pebbles



Brown Oak

COLOUR



Somerset Paving Buff with Rumbled Blocks in Brindle



Grey

Buff

Blue Black

Somerset

Somerset has a contemporary textured surface suitable for many gardens.

As well as being both practical and hard wearing, the cool colours of Somerset Paving will create a sleek effect in your garden.

Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
450 x 450	5	17.5	8	40	700

Thickness: 32mm

Stratford

34

COLOURS

Antique Grey Parisian

Stratford Paving, Antique Grey

Stratford


Stratford paving authentically captures the elegance of time-honoured stone, making it feel right at home from the moment it's laid.

With stones beautifully reproduced in Antique Grey and Parisian in a large array of sizes, Stratford paving is a cost-effective and flexible solution.




Stratford Paving and Octagon, Parisian

PLANS



Stratford Paving 5.76m²



Stratford Octagon 5.06m²

Complement

Make a fantastic focal point using the Stratford Octagon feature. Potted plants will add colour and really make your paving stand out.

Specifications

PAVING PACK

Stratford Paving 5.76m ²	
Approx. size: 2400 x 2400mm	Pallet weight: 536 kg
Contents: 9 = 600 x 600 11 = 600 x 300 6 = 300 x 300	

PATIO PACKS

Stratford Octagon 5.06m ²	
Approx. size: 2250 x 2250mm	Pallet weight: 438 kg
Contents: 33 specific shapes	

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
900 x 600 (A) ⁺⁺	1.8	59	11.1	20	1180
600 x 600 (B)	2.8	34	7.2	20	680
600 x 300 (C)	5.5	16	7.3	40	640
450 x 450 (D)	5	19	8.0	40	760
300 x 300 (E)	11	8	3.6	40	320

Thickness: 45mm (*50mm) *Not available in Parisian

See Aurora & Sun Circle On pages 36-37


35

Aurora & Sun Circle


Our Aurora and Sun Circles are both created in a mix of two striking colours; Antique Grey and Barley which creates a dazzling effect in the sunlight that come rain or shine will brighten up any garden!

For additional sunshine in your garden, head over to page 63 to find out about our Celestial Sun stepping stones.

PLANS




Aurora Circle 1.8m



Sun Circle 2.56m

Corner infill sets sold separately




Sun Circle

Dazzles as a stand-alone feature or can easily be integrated into Stratford Paving using the corner infill set.



Aurora Circle 1.8m

COLOUR



Antique Grey/
Barley

Specifications

PATIO PACKS

Aurora Circle 1.8m

Approx. size: 1800mm (dia)	Approx. size with infills: 2100mm x 2100mm
Pallet weight: 239 kg	Infill pallet weight: 199 kg
Contents: 31 specific shapes	Contents: 16 specific shapes

Sun Circle 2.56m

Approx. size: 2560mm (dia)	Approx. size with infills: 3000mm x 3000mm
Pallet weight: 435 kg	Infill pallet weight: 361 kg
Contents: 46 specific shapes	Contents: 16 specific shapes

Victorian Setts

Victorian Setts are a simple solution to bringing that period look to your garden with an elegant style.

Re-created from original traditional setts, our Diamond and Chevron Setts recapture the feel of a bygone era. Ideal for pathways, Victorian Setts are a timeless classic.



Diamond Set




Chevron Set


Specifications

PAVING STONES					
Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
224 x 112	40	2	1.9	75	150


Thickness: 40mm



Victorian Setts (Diamond Set)




Welsh Slate




Terracotta

COLOURS




Windsor Paving, Portland Grey

COLOURS



Portland Grey



Barley



Welsh Slate

Windsor

Windsor paving is straight-edged with a lightly textured surface, true to the distinctive nature of classic Yorkshire stone.

Windsor has been a popular choice for creating delightful garden features for many years. Available in a variety of sizes, a truly random design can be achieved.

Specifications

PAVING STONES					
Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 600	2.8	30	8.9	25	750
600 x 300	5.5	14.5	9.1	50	725
450 x 450	5	17	10	50	850
300 x 300	11	7	4.5	50	350

Thickness: 38mm

Block paving

Rumbled Block Autumn


First Impressions

Create a wonderful first impression for your property with our desirable and durable collection of block paving.

- 41 | Driveway
- 42 | Rumbled
- 43 | Stonemaster

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.



Driveway, Buff

COLOURS

Autumn	Burnt Oker	Brindle	Charcoal	Buff	Red

Driveway

A highly durable block paving not only suitable for driveways but a versatile solution for patios.

With 6 colour options, Driveway offers a wealth of mix and match possibilities.

Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
200 x 100	50	2.27	9.76	488	1110

Thickness: 50mm

Rumbled

Thanks to the rumbled finish, this charming cobble type paving has a softer surface with smooth rounded edges, enhancing its weathered appearance.

3 sizes in the range allows for numerous laying options.

Specifications

PAVING STONES					
Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
200 x 134	37	2.98	9.08	336	1002
134 x 134	56	1.99	9.0	504	1002
100 x 134	75	1.49	8.96	672	1002

Thickness: 50mm



Rumbled Block, Autumn with Cathedral Radius paving




Graphite Autumn Brindle Rustic

COLOURS



Stonemaster Block Paving in mix of 3 shades



Dark Grey Mid Grey Light Grey

COLOURS

Stonemaster

Pre-treated with a Surface Protection this block paving guards against everyday contaminants such as oil, grease, moss & drinks and eases cleaning when used on drives and patios.

It can be laid in a single shade or mixed to fully replicate natural stone.

Specifications

PAVING STONES					
Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
300 x 100	33.3	4	7.20	240	960

Mixed size packs also available.

Thickness: 60mm



Natural Sandstone Fossil Buff

Rich and harmonious tones

Whether you're planning a contemporary look or a classic English style, our exquisite natural stone will bring rich tones and provide depth to your garden.

- 45 Limestone
- 46 Sandstone
- 47 Smooth Natural Sandstone

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.



Natural Limestone Blue Black

Limestone

With its consistent colour palette, gentle riven surface and hand cut edges, limestone is the perfect choice to give your outdoor area a durable yet sophisticated finish.

Suitable for both contemporary and traditional garden designs.

Specifications

PAVING PACK

Limestone 15.3m² Thickness: 22mm

Approx. size: 3400 x 4500mm Pallet weight: 800 kg


Contents: 13 = 900 x 600 | 13 = 600 x 600 | 13 = 600 x 300 | 9 = 300 x 300

*Some sizes of Blue Black available in single sizes

Sandstone

With an attractive finish and subtle tonal variations, making each piece unique, Sandstone is a popular choice for a wide variety of gardens.

PLANS



Specifications

PAVING PACK

Sandstone Natural Stone 15.3m²

Approx. size:
3400 x 4500mm

Pallet weight:
825 kg

Contents: 13 = 900 x 600 | 13 = 600 x 600 | 13 = 600 x 300 | 9 = 300 x 300

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
900 x 600 (A)	1.8	30	15.6	28	840
600 x 600 (B)	2.8	20	14.3	40	800
600 x 300 (C)	5.5	10	15.5	85	850
300 x 300 (D)	11	5	7.7	85	425

Thickness: 22mm - Approximately calibrated to 22mm

www.bowlandstone.com


NATURAL STONE PAVING




Natural Sandstone, Sunset Buff



COLOURS



Smooth Natural Sandstone, Rainbow



COLOURS

Smooth

NATURAL SANDSTONE

A smooth diamond sawn sandstone that provides a tasteful, refined and elegant back drop for any garden.

Still encompassing all the colour & veining variations of natural sandstone, making each patio truly unique.

Specifications

PAVING PACK

Smooth Natural Sandstone 15.3m²

Approx. size:
3400 x 4500mm

Pallet weight:
825 kg

Contents: 13 = 900 x 600 | 13 = 600 x 600 | 13 = 600 x 300 | 9 = 300 x 300

Note: Smooth Natural Sandstone should be sealed prior to laying

Thickness: 22mm

www.bowlandstone.com

NATURAL STONE PAVING

*Only available in paving packs not individuals sizes.



Mode Profiled, Silver Grey

Porcelain PAVING

The best of both worlds


If you think porcelain is a little too delicate for paving, you're in for a very pleasant surprise. As well as providing a smooth, elegant finish, it also offers an amazingly hard wearing, scratch resistant and low maintenance surface.

- 49 Rock
- 50 Caprice
- 52 Mode Profiled
- 53 Tatra

IMPORTANT INFORMATION

A slurry primer needs to be applied to the reverse of each paver prior to laying, to aid adhesion.

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.



Rock, Blue-Black

COLOURS

Rustic-Gold

Blue-Black

Autumn Green

Silver Grey

Sunset Buff

Rock

Rock is recognised for its natural stone-like quality and offers clean lines, flexibility, and a contemporary look with a low-profile riven surface.

This range is available in 5 colours, in a single size or a four size patio pack, making it a natural-looking product that's simply unmatched.

Specifications

PAVING PACK

Rock Porcelain 19.89m ²	
Approx. size: 5100 x 3900mm	Pallet weight: 930 kg
Contents: 18 = 895 x 595 16 = 595 x 595 18 = 595 x 295 13 = 295 x 295	


PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
895 x 595	1.85	26.25	21.6	40	1050

Thickness: 20mm


Caprice

An ultra modern design that comes in two sizes.

Caprice creates a gorgeous urban look in any outdoor space.



Caprice Paving, Beige



Black

Grey

Beige

Caprice Paving, Grey

Specifications

PAVING STONES

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
600 x 600	2.78	17.5	21.6	60	1050
900 x 600	1.8	26.25	21.6	40	1050

Thickness: 20mm

Mode Profiled

Looking to create the ultimate contemporary outdoor space?

Mode Profiled has a fine riven texture featuring mica crystals to add interest and sparkle to your patio.

Available in two sizes and four gorgeous shades, this range is designed to make a statement.


Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
595x595	2.8	17.5	21.6	60	1050
595x295	5.56	8.5	12.96	72	612


Additional sizes and 18.3m² paving pack available

Thickness: 20mm

www.bowlandstone.com



Mode Profiled Silver Grey




Honey Gold



Dark Grey



Graphite




Silver Grey

COLOURS


PORCELAIN PAVING



Tatra Light Grey



Beige



Light Grey



Dark Grey

COLOURS

PORCELAIN PAVING

Tatra

This new range of Tatra Porcelain is now available in three colours and sizes. This range is designed to replicate Natural Stone and features many of its unique characters such as its distinct veining whilst having all the benefits of Porcelain. Each paver is fully rectified with precision edges for easy laying.

Please note these pavers will not be compatible with any previous range of the same name.

Specifications

PAVING STONES	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Size					
1200 x 600	1.39	32.33	21.6	30	970
900 x 600	1.85	24.25	21.6	40	970
600 x 600	2.78	16.17	21.6	60	970

Thickness: 20mm

www.bowlandstone.com



Plum Slate 40mm

Closer to nature

From ponds and rockeries to driveways and paths, decorative stones are a versatile way to create interesting features and bring both colour and texture into your garden.

- 55 Decorative Aggregates
- 58 Rockery Range
- 59 Essentials Range
- 61 Horticultural Range

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.

DECORATIVE Aggregates

PEBBLES, CHIPPINGS & SLATES


Measure up

Use the table below to work out how many Large Packs you will need.

m ²	1	2	3	4	5
1	4	8	12	16	20
2	8	16	24	32	40
3	12	24	36	48	60
4	16	32	48	64	80
5	20	40	60	80	100


Based on a 50mm (2") average coverage. e.g. to cover an area of 3m x 2m at a depth of 50mm, you will require approx. 24 bags. If you have a larger area to cover, our bulk bags cover between 9-10m².

PEBBLES



Henham Blend*


Henham Blend*



Highland*

Highland*

Highland*




Highland*

Ice White*


Ice White*

CHIPPINGS


AGGREGATES ARE A NATURALLY SOURCED PRODUCT AND DUE TO ITS NATURE THERE MAY BE SLIGHT VARIATIONS IN COLOUR AND SIZE WHICH ARE UNAVOIDABLE.



Brown Pea Gravel*



Chard Flint*



Cornish Granite*



Cotswold Cream



Easy Grid


Our durable plastic easy grid will help to keep your aggregates in place. Especially effective for driveways and well trodden gardens.

Ground Cover


We would advise using our ground cover under your aggregate as an effective weed suppressant.



Cotswold Stone



Emerald Green*



Huntleywood*




Moonstone



Pea Gravel*




Raspberry Ripple




Rose Pink



Somerset Grey



South Cerney



Thames Valley Flint*


SLATES




Blue Slate*




Blue Slate*




Green Slate*



Green Slate*



Plum Slate*




Plum Slate*

⚠️ AGGREGATES ARE A NATURALLY QUARRIED PRODUCT AND WHILE EVERY EFFORT IS MADE TO GIVE ACCURATE SIZING AND COLOUR REPRESENTATION, ACTUAL PRODUCT MAY VARY FROM TIME TO TIME.

PREMIUM CHIPPINGS

Our Premium Chippings range are a versatile way to add texture and colour into your garden, while adding that touch of sophistication & flair.



Arctic Champagne




Graphite



White Marble



Alpine Blue*




Black Ice*



Lundy Lime



Blossom*



Smoky Black

Rockery

These stunning stones will spice up your garden allowing you to create striking garden features.

Rockeries can come in all shapes and sizes, from miniature rock gardens in containers to large slopes.



ROCKERY



Caledonian Cobbles (100-200mm)



Cotswold



Green Slate



Plum Slate



Green

Essentials

At Bowland Stone we have a large variety of extra items to help you to create your perfect garden. From essential sands and aggregates to bark and topsoil. If you cannot see what you are looking for on these next pages please visit our website or give one of our sales team a call, we are always happy to assist.

SANDS & BALLAST

Various types suitable for a variety of building uses including bedding paving stones and block paving, producing concrete mixes and filling joints.

SANDS & BALLAST



Sharp Sand



Grit Sand



Yellow Building Sand



Red Building Sand




Kiln Dried Sand



Subbase



Yellow Ballast



Limestone Ballast



0-4mm Dust

PERMEABLE AGGREGATES

Various grades of 'clean' chippings to allow water drainage for use with block paving, to comply with driveway regulations.



6mm

14mm

3mm

Bedding

Drainage

Jointing

6mm 'clean' chipping used above the 14mm chipping, and below block paving. 6mm Clean Limestone.

14mm 'clean' chipping used as a sub base. 14mm Clean Limestone.

3mm 'clean' aggregate for filling the joints between block paving. Horticultural Grit.



Pea Gravel

Play Sand

Road Salt

A free-draining aggregate for use in drainage and pipe bedding.

Bring the fun of the beach to your garden.


Purpose produced to clear paths and driveways in icy conditions.

Also available




AND MORE

Horticultural



HORTICULTURAL

Get Planting - Give life to your soft landscaping projects using the perfect horticultural product. Perfect for Pot Topping, Soil Aeration, Planting & Blending, Moisture Retention.



Bark/Mulch

Compost

Horticultural Grit*



Horticultural Potting Grit

Horticultural Sand

Topsoil

STEPPING STONES, WALLING & EDGING Ranges



Everything you need in one place

All those little extras for your garden that just finish it off and complete your green escape. Complement your patios, walls & lawns with one of our finishing touches.

- 63 Stepping Stones
- 66 Lakeland Walling
- 67 Meadow Walling
- 68 Priory Cottage Walling
- 69 Priory Split Walling
- 70 Copings
- 72 Edging

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.

Stepping Stones

Making use of Stepping Stones in your garden is a great way to complement patios or create a fun, winding pathway or walkway. Our ranges are diverse enough to match any scheme and connect all elements of your garden.



Cathedral RANGE



Cathedral
Colour: Weathered Moss
400mm (dia)



Cathedral
Colour: Barley
400mm (dia)



Cathedral
Colour: Weathered York
400mm (dia)

Catherine Wheel RANGE



Catherine Wheel
Colour: Barley
450mm (dia)




Catherine Wheel
Colour: Weathered Slate
450mm (dia)

Celestial RANGE



Celestial Sun
Colour: Antique Grey/Barley
450mm (dia)



Celestial Moon
Colour: Welsh Slate
450mm (dia)



Celestial Star
Colour: Mellow Gold
450mm (dia)

Products	Size	Unit weight	Unit / pallet	Pallet weight
Chalice	300 (dia)	6.5	25	162.5
Cathedral	400 (dia)	9.8	25	245
Catherine Wheel	450 (dia)	9.8	25	245
Celestial Sun	450 (dia)	10.21	25	255.25
Celestial Moon	450 (dia)	10.21	25	255.25
Celestial Star	450 (dia)	10.21	25	255.25
Chapter Irregular	500 (dia)	11.2	25	280
Compass	440 (dia)	8.6	25	215
Deckstone	450 (dia)	10.75	25	268.75
Log	360 (dia)	8.7	20	174
Japanese	Various	17	25	425
Paw Print	400 (dia)	9.45	20	189
Rope	440 (dia)	11.06	25	276.50
Wild Bird Eagle	390 (dia)	10	25	250
Wild Bird Owl	390 (dia)	10	25	250
Wild Bird Woodpecker	390 (dia)	10	25	250
Garden Friends Hedgehog	300 (dia)	5.5	25	137.5
Garden Friends Squirrel	300 (dia)	5.5	25	137.5
Garden Friends Bee	300 (dia)	5.5	25	137.5
Garden Friends Butterfly	300 (dia)	5.5	25	137.5
Garden Friends Fox	300 (dia)	5.5	25	137.5

Rope



Rope

Colour: Driftwood
440mm (dia)



Japanese RANGE



Japanese

Colour: Antique Grey
475mm – 550mm (various sizes)



Japanese

Colour: Barley
475mm – 550mm (various sizes)

Deckstone



Deckstone

Colour: Brown Oak
450mm (dia)



Compass



Compass

Colour: Bath Buff
440mm (dia)

Log



Log


Colour: Driftwood
360mm (dia)

Chapter



Chapter Irregular

Colour: Barley
500mm (dia)



Wild Bird RANGE



Wild Bird Eagle

Colour: Bath Buff
390mm (dia)



Wild Bird Owl

Colour: Bath Buff
390mm (dia)



Wild Bird Woodpecker

Colour: Bath Buff
390mm (dia)

Chalice RANGE



Chalice

Colour: Honey Brown
300mm (dia)



Chalice

Colour: Mellow Gold
300mm (dia)



Chalice

Colour: Welsh Slate
300mm (dia)

Garden Friends RANGE



Garden Friends Hedgehog

Colour: Bath Buff
300mm (dia)



Garden Friends Squirrel

Colour: Bath Buff
300mm (dia)



Garden Friends Fox

Colour: Bath Buff
300mm (dia)



Garden Friends Butterfly

Colour: Bath Buff
300mm (dia)



Garden Friends Bee

Colour: Bath Buff
300mm (dia)

Paw Print



Paw Print

Colour: Barley
400mm (dia)

Lakeland

Lakeland faithfully captures the art of laying dry slate walling, providing a timeless structure for any garden.




Specifications

Product	Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Full Block*	440 x 120	17	12	3.8	60	720
Half Block*	220 x 120	33	6.5	1.8	60	390
Coping/Edging**	440 x 140	-	15	-	60	900
Flat Coping***	440 x 150	-	5	-	60	300

*Thickness: 115mm | **Thickness: 100mm | ***Thickness: 30mm



Lakeland Walling Cumbrian Slate




Cumbrian Slate**

COLOUR

*Various Design Lakeland coping/edging is also available in Parisian colour



Meadow Walling Parisian



Barley

Parisian

*Parisian colour only available in Full and Half Blocks

Meadow

Meadow Walling has been crafted using original natural dry stone walling masters, recreating a rustic look that is durable and versatile.



Product	Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
Full Block*	440 x 150	14	12.5	4.3	60	750
Half Block*	215 x 150	28	12.5	2.15	60	360
Coping/Edging*	440 x 100	2.2	8	-	60	480
Single Coping**	600 x 160	1.66	9.5	-	50	475
Double Coping**	600 x 280	1.66	16.5	-	50	825

*Thickness: 100mm | **Thickness: 40mm

Priory COTTAGE WALLING

Our Priory Cottage range reflects a more rugged and weather-worn style of walling.

Inspired by Cotswold Stone, this look is great for traditional gardens and adds a calming, rustic element to any patio area.




Priory Cottage Walling

Specifications


Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
220 x 65	58	2.67	6.6	374	1000
330 x 65	39	4.3	5.9	279	1200
220 x 140	29	6.47	6.1	170	1100
330 x 140	19	9.52	6.0	126	1200

Thickness: 100mm

Priory Cottage Walling Summer Corn



Misty Grey




Summer Corn

COLOURS

Priory Split Walling Summer Corn



Misty Grey



Summer Corn

COLOURS

Priory SPLIT WALLING

Similar to Priory Cottage, our Priory Split Walling range is inspired by the Cotswold Stone and is reminiscent of the countryside style.

With its traditional flat-split, rough-hewn face, this unique range will look the part in any garden.



Priory Split Walling

Specifications

Size	Unit / m ²	Unit weight	m ² / pallet	Unit / pallet	Pallet weight
220 x 65	58	2.67	6.6	374	1000
330 x 65	39	4.3	5.9	279	1200
220 x 140	29	6.47	6.1	170	1100
330 x 140	19	9.52	6.0	126	1200

Thickness: 100mm

Copings

Flat Copings

Choose from either our Meadow or Lakeland range (see pages 66 and 67 for Lakeland and Meadow Walling).



Meadow Single Coping
600mm x 160mm x 40mm

Meadow Double Coping
600mm x 280mm x 40mm



Lakeland Flat Coping
440mm x 150mm x 30mm





Dale Coping
525mm x 160mm x 40mm

Available in: Welsh Slate


Once Weathered	Unit weight	No. Linear Mtr	Linear Mtr Pack	Unit / pallet	Pallet weight
Sizes					
600 x 180 x 65 (h)	14.5	1.66	24.1	40	580
600 x 225 x 70 (h)	24	1.66	24.1	40	960
600 x 300 x 70 (h)	24.5	1.66	12.0	20	490
600 x 355 x 70 (h)	29	1.66	9.6	16	464
600 x 400 x 80 (h)	36.5	1.66	9.6	16	584
600 x 450 x 75 (h)	38	1.66	9.0	15	570

Available in: Portland Grey, Barley and Welsh Slate are made to order. Please ask in store.




Twice Weathered	Unit weight	No. Linear Mtr	Linear Mtr Pack	Unit / pallet	Pallet weight
Sizes					
600 x 140 x 50 (h)*	8	1.66	39.8	66	528
600 x 180 x 50 (h)	12	1.66	32.5	54	648
600 x 225 x 50 (h)*	15	1.66	21.7	36	540
600 x 280 x 60 (h)	16	1.66	24.1	40	640
600 x 300 x 70 (h)	23.5	1.66	19.3	32	752
600 x 355 x 70 (h)	18	1.66	15.1	18	522

Available in: Portland Grey, Barley and Welsh Slate. Larger sizes of Barley and all Welsh Slate are made to order. Please ask in store.





*Without Drips



C O P I N G S

Tabling	Unit weight	No. Linear Mtr	Linear Mtr Pack	Unit / pallet	Pallet weight
Sizes					
600 x 300 x 50 (h)	24	1.66	12.0	20	480
600 x 355 x 50 (h)	29	1.66	12.0	20	580



Colours: Portland Grey, Barley and Welsh Slate are made to order. Please ask in store.



Pier Caps	Unit weight	Qty/m ²	m ² per Pack	Unit / pallet	Pallet weight
Sizes					
225 x 225 x 50 (h)	7	-	-	50	350
300 x 300 x 60 (h)	10	-	-	30	300
380 x 380 x 50 (h)	21	-	-	20	420
460 x 460 x 80 (h)*	23	-	-	8	184
520 x 300 x 90 (h)	19	-	-	16	304
520 x 520 x 100 (h)*	50	-	-	4	200
600 x 600 x 150 (h)*	67	-	-	4	268


Available in: Portland Grey, Barley and Welsh Slate. Larger sizes of Barley and all Welsh Slate are made to order. Please ask in store.

*To order only



Coping Returns	Unit weight	Qty/m ²	m ² per Pack	Unit / pallet	Pallet weight
Sizes					
140 x 140 x 50 (h)	3	-	-	-	-
180 x 180 x 50 (h)	7	-	-	-	-
280 x 280 x 50 (h)	10	-	-	-	-

Colours: Portland Grey, Barley and Welsh Slate are made to order. Please ask in store.



www.bowlandstone.com

www.bowlandstone.com

C O P I N G S

Edging

Edgings not only keep walkways defined, but can also help keep your beds, gravel, soils and other aggregates in place. Edgings can also be used to define areas of your garden and to surround pathways for a clever, decorative way to separate patios or landscaped areas.

Product	Unit weight	No. Linear Mtr	Linear Mtr Pack	Unit / pallet	Pallet weight
Chesia	7	2.2	18.2	40	280
Half Rope Top	13	1.1	45.5	50	650
Rope corner	0.5	-	-	-	-
Full Scroll	11.5	1.7	23.5	40	460
Corner Dolly	1.5	-	-	-	-
Winchester	2	3.5	22.9	80	160
Victorian Scroll	3	4.3	11.6	50	150
Victorian	3	4.2	16.7	70	210
Rose Thistle	3	4.6	13	60	180
Half Round	15	1.1	54.5	60	900
Scalloped	7.7	1.7	29.4	50	385
Perimeter	7.94	2.2	20	44	350



Chesia
Colours: Limestone, Antique Grey
435 x 250 x 30




Winchester
Colour: Antique Grey
290 x 175 x 20



Rose Thistle
Colour: Terracotta
215 x 190 x 25



Perimeter
Colour: Welsh Slate
450 x 210 x 40



Half Rope Top
Colours: Old Red, Welsh Slate, Barley
910 x 150 x 50
Matching Corner Ends (Sold Separately)



Victorian Scroll
Colours: Terracotta, Welsh Slate
230 x 175 x 40
Matching Corner Dolly (Sold Separately)



Half Round
Colours: Grey, Welsh Slate, Bath Buff
910 x 150 x 50



Full Scroll
Colours: Old Red, Welsh Slate, Barley
590 x 165 x 50



Victorian
Colour: Welsh Slate
235 x 210 x 40



Scalloped
Colour: Welsh Slate
590 x 160 x 40



Victorian Scroll Welsh Slate



LANDSCAPING

Essentials

The finishing little touches

The Finishing Little Touches - From standard lap panels to the more ornate designs and all the extra bits and pieces that you need to enclose your green space and make it your own. Real turf, artificial grass or sleeper beds the choice is truly yours.

- 75 | Fencing
- 76 | Fencing Extras
- 77 | Turf & Artificial Grass

IMPORTANT INFORMATION

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer.



Fencing

Screen Panel Range

Choose from our range of decorative fence panels. Lisbon, Madrid and Florence to complete your garden.



Lisbon
1830 x 1830



Madrid
1830 x 1830



Florence
1830 x 1830



Feather Edge Panel Board
1830 x 1800

Lap Panel

A sturdy garden wooden fence panel, 42mm thick.



Sizes available:
1830 x 1800 / 1830 x 1500
1830 x 1200 / 1830 x 900

Please enquire

Gazebos, arbours and other style panels available.

Fencing Extras



Trellis

Thick timber panels ideal for climbing plants or creating a focal point.

Sizes available:

1830 x 1800 / 1830 x 1510 / 1830 x 1200
1830 x 900 / 1830 x 610 / 1830 x 320



Treated Timber Sleepers

Our sleepers are perfect for a variety of uses including creating raised flower beds. Oak sleepers also available.



Recessed Gravel Boards

Concrete gravel boards act as a support for timber fencing and helps prevent premature damage as a result of moisture ingress.

Sizes available: 1800 x 300 / 1800 x 150



Wooden & Concrete Posts

Choose from our pressure treated timber post or solid concrete posts.



Plain Gravel Boards

Concrete gravel boards act as a support for timber fencing and helps prevent premature damage as a result of moisture ingress.

Sizes available: 1800 x 300 / 1800 x 150



Metposts

We have a range of metposts for timber post support.

TURF & Artificial Grass

Our artificial grass range will give any garden a natural, luxury look but with low maintenance.



30mm Artificial Grass

30mm tufted synthetic grass, soft to touch and durable making this a great all-rounder. **Multiple blade shapes available.**



35mm Artificial Grass

35mm tufted cut pile with a super soft feel, it's an ideal choice for children and pets.




38mm Artificial Grass

38mm tufted pile with a luxurious look and feel, it is an ideal choice for gardens that require a bit of 'luxury'. **Multiple blade shapes available.**



40mm Artificial Grass

40mm tufted synthetic carpet, the closest artificial grass to mimic real turf.



16mm Proline Putting Turf

Provides a consistent surface that resembles a perfectly manicured putting green.

We also sell a high tolerance lawn turf which is ideal if you need a hard wearing lawn.



PATIO
Construction
& CARE

78

Start Creating

All the Do's and Don'ts to help you plan, prepare, lay and care for your patio.

- 80 | Patio construction
- 82 | Caring for your patio
- 84 | Important information



Cloister Paving Weathered Slate

79



Step 1 (Planning)

Decide where you want to lay your new patio. First sketch out the area to be paved, showing all dimensions.

Include in the drawing items such as drains, height of damp proof course, the slope or fall of the area and any other constraints eg walls, lawns, steps etc.

Visit Bowland Stone or your nearest stockist to create your laying guide using the Bowland Stone Patio Generator.



Step 2 (Preparation)

The area to be paved must be firm and compact to avoid any subsidence. If necessary dig out any soft soil and replace with crushed stone preferably with a high dust content. The level of the ground at this stage should be approximately 55mm to 80mm below the final level of the paved area.

Poor drainage or installing paving onto an existing concrete/paved base can lead to high levels of moisture underneath the paving. This may result in discolouration/staining on the surface of the paving due to absorption of trapped water.



Step 3

At this stage as well as a trowel and shovel, a spirit level will be needed at least the length of the longest slab that is to be laid. Determine the quantities of sand and cement required for 'bedding' the slabs on. As a guide the bed should be between 15mm and 40mm thick and mixed in a ratio of 4 parts sand to 1 part cement, (mixed together in manageable quantities either by hand or a small mechanical mixer).

Decide where to lay the first slab, this is usually a corner slab and probably at the highest point. In most cases a slope of 1:100 is adequate to enable surface water to fall away from the house. It very often helps to use string and mark out the area, which helps to keep the joints at 90 degrees to each other. Continue laying your patio following your laying guide. We recommend that all paving is laid on a full mortar bed.



Step 4

The method of laying should be such that each slab must not bear any weight for at least one day. Care should also be taken to ensure that cement is kept off the surface of the paving as it can cause staining. The exact position of each slab should be achieved first time. To do this, do not apply excessive force on the slab but check with a spirit level and apply gentle pressure until the exact position is found. It is best to lay full slabs first and then cut any odd shapes and sizes that may be needed.



Step 5

Unlike all the previous stages, grouting can only be done on a dry day*. Building sand should be used, mixed at a ratio of 5 parts sand to one part cement. (*Alternatively use a jointing compound which requires water & can therefore be used during inclement weather). Bowland Stone colour additive can be used to complement or contrast the overall appearance. The total quantity should not exceed one bucket of grout at a time. With the use of either a bricklayers pointing trowel or pointing tool, push the mix into the gaps to form a uniform surface to the pointing ensuring that it is kept slightly below the surface of the paving. Excess mix should be swept aside and re-used but do not brush it over the slabs until the mix has become dry. It is essential that the mix is moist but not wet to prevent the possibility of staining.



Caring for your patio

The following tips should help you keep your paving looking at its best for longer.


1

Regular washing and brushing should be adequate to maintain your patio.

2

Before using any cleaning materials consult your paving stockist to recommend an appropriate product.

3



Test a small area before cleaning the patio.

4

If using patio cleaner, use sparingly (once or twice during the lifetime of the patio) as this may affect durability.

5



Sealants can be used but they can affect the colour of the paving.

6



Do not use salt to de-ice your patio.

7

Dark patches are due to differential weathering and exaggerated by efflorescence*. As with efflorescence the dark patches will generally disappear in time.


8



Fungal and algae growths can be cleared by spraying with fungicide.

9

We do not recommend the use of a pressure washer.



X

Please note that although sometimes unsightly, blemishes or stains are unlikely to affect the performance of the paving. Always follow manufacturer's instructions when using cleaning equipment or materials. *Please refer to page 84 for further information.



Important information

Product Colour

All images shown in this brochure are for illustrative purposes only. Every effort is made to ensure accurate colour representation, however due to photographic and printing processes and varying light conditions, colours may not exactly match current production. We strongly recommend that colours are judged and chosen from actual materials and samples are sought from your local retailer. It is also worth noting that the colour of new products will inevitably vary compared to those which have been installed for a period of time as weathering does take place.

Natural Stone products will naturally feature more colour variation than concrete products and several samples should be obtained. Bowland Stone does not take responsibility for any colour inaccuracies within this brochure compared to the products featured.

Although every effort is made to ensure colour consistency, variations between production batches can occur, especially in blended shades. We recommend that where possible products are ordered from one batch and where multiple packs of product are ordered, thoroughly mix the products by drawing from different packs when laying.

Sizes

Bowland paving is manufactured to capture the authenticity of natural slabs and as such they may vary in thickness. All sizes & dimensions are nominal, subject to manufacturing tolerances and are for guidance only.

It is recommended to 'dry lay' your design first starting from the centre, (especially Bowland Stone feature kits including circles, stars, octagons, & ovals), which will allow you to establish the correct spacing between each slab to ensure your design fits perfectly in the area allocated.

Efflorescence

All quality products with a high cement content may suffer the temporary phenomenon of efflorescence. It can appear as a white powder or just an apparent lightening/fading of surface colour. It is caused by the migration of soluble salts (calcium hydroxide) through the damp paving surface which then reacts with atmospheric carbon dioxide to form calcium carbonate – a white deposit of low water solubility which is apparent as the surface dries.

Ideally it is better to let efflorescence disappear naturally, however it can be removed chemically by using propriety acid washing agents or brick/patio cleaners in accordance with manufacturer's instructions. Trials should be carried out on samples or on a limited area, in order to assess the effect on the appearance. Please note that this can alter the appearance of the concrete by changing the surface texture and may also damage the concrete surface.

Weathering

Natural weathering and site conditions will also affect the appearance of paving along with seasonal manufacture or naturally occurring variations of the aggregates used in manufacturing.

Differential weathering can cause patchy, dark discolouration on the surface of individual paving slabs, due to the paving curing at different rates. This will generally diminish over time and will not affect the long term performance.

All products can develop algae and organic growths under certain environmental conditions and may require cleaning. Areas adjacent to borders, plant pots and trees may discolour from transfer of plant life. Specialist maintenance advice may need to be sought.

Bowland Stone do not recommend the use of road salt or the use of pressure washers, as both can damage the surface and appearance of the paving. Poor drainage or installing paving onto an existing concrete/paved base can lead to high levels of

moisture underneath the paving. This may result in discolouration/staining on the surface of the paving due to absorption of trapped water.

Health and Safety / Product Handling

Care should be taken when handling / installing Bowland Stone products, we always recommend suitable lifting equipment or 2 person lifting on our larger size paving slabs.

- Always wear gloves and safety footwear when handling products
- Wear appropriate PPE if using cutting equipment
- Ensure products are on level ground before unwrapping and the product is supported before cutting bands to avoid breakages, chipping or damage to yourself

Delivered Goods

All products must be checked upon receipt. In the unlikely event of products reaching you in an unsatisfactory condition, please contact your retailer immediately, allowing time for the rejected product to be inspected and or replaced.

Minor scuffs or bruises may occur during delivery, movement on-site and installation are generally unavoidable, in our experience these will weather in over time.

Bowland Stone cannot accept any responsibility for uplifting and relaying costs of defective products if upon inspection, it is deemed that the defect would have been apparent prior to laying.

Storage

Prior to laying, it is imperative that paving is stored in a vertical position, ideally with original spacers in between paving (not stored face to face touching) and it is adequately covered. Rain/moisture can become trapped and settle between paving if left open to the elements, causing a drizzle like stain on the surface of the paving (particularly apparent in light coloured products). Bowland Stone will not take responsibility for any paving that has developed water marks/stains due to inadequate storage.

Application

Bowland Stone products, unless otherwise stated, are primarily intended for domestic/landscape use only. Decorative paving is not recommended for use on driveways. For areas subject to vehicular use, block paving products are recommended (see pages 40-43).

Liability

No charge is levied for this brochure and liability in respect of any statements, conditions, warranties and representations made on behalf of Bowland Stone is limited in accordance with the terms set out in Standard Conditions of Sale. While every effort is made to give sound advice, Bowland Stone cannot accept any responsibility for any loss, damage or injury as a result of following it. Bowland Stone will not take any responsibility or liability in respect of products being used for any purpose other than those for which they were intended. Due to our continuous evolution of product design and improvement, our range and specifications are subject to change without notice. Customers should check that all information is up to date.

Bowland Stone will not be liable for any fair wear and tear, wilful damage or negligence of the customer or abnormal conditions.

Costs

Please refer to your local retailer for all up to date pricing. Please be aware that paving is just one element of the total cost of laying a patio and is rarely the largest outlay.

Additional Product Information

Natural Stone

Unavoidable colour and thickness variations occur within the natural stone ranges. Our natural stone is sourced from suppliers who are registered with the 'ethical trading initiative'.

Natural Stone may develop added marking, deposits or patches as mineral content oxidises. Product should be mixed from a number of packs prior to installation and should always be laid on a full wet mortar bed.

All Silver Grey Natural Sandstone products vary with differing geological conditions. Such variations can lead to small particles of ironstone within the product creating a darkening of the surface with natural weathering. This natural weathering is more obvious with Silver Grey Sandstone compared to other natural stone products due to its paler colour.

Sandstone needs to be handled very carefully when installing to minimise staining and we would advise that Smooth Natural Sandstone be sealed prior to laying using a breathable sealer. However, if this is not possible, it should be covered up as it is installed and sealed as soon as it is laid.

A slurry primer (such as Bradbond) should be applied to the underside of all Smooth Natural Sandstone, Natural Slate, Riverwashed Limestone and Granite paving prior to laying to improve adhesion.

Blue Black Limestone is UV sensitive and over time will lighten in colour. It is recommended to seal limestone prior to laying or as soon after laying as practically possible. Never use acidic based products on limestone.

Porcelain paving

Manufactured from the finest raw materials, under strict controls allows for exceptional technical characteristics of full-body unglazed porcelain paving.

Anti-slip surface resistance

- Class 3 / R11 / Group C

The use of a slurry primer to the reverse of each paver is both essential and more importantly critical to the overall performance of porcelain paving. Applied to the underside using a stiff brush, it provides an exceptional bond between paver and the full wet bed underneath. Mixed to manufacturers instructions and applied with care

it forms an immediate bond which prevents the pavers from lifting or potentially moving in the future when correctly laid.

We recommend a porcelain jointing compound for pointing. Do not use white cement nor materials containing black pigments. Finishes are intentionally manufactured with slightly uneven colour tones and surface decoration, these subtle variations set these products apart.

Porcelain paving can be cut on site and mostly to any size. We recommend the use of a portable saw (table saw, petrol driven disc cutter, rechargeable angle grinder) fitted with a good quality diamond porcelain blade. The blade should be water fed for dust suppression and to keep the blade cool. Scoring the product first and sawing from the face downwards will help to alleviate the potential risk of edge/surface chipping.

Porcelain paving can be cleaned by applying a suitable cleaner. We strongly recommend the finished laid area be thoroughly cleaned/washed down which helps remove general building dirt, grout residue and any grease deposits that may be present. It is also recommended that periodic cleaning with porcelain cleaner will keep the paving looking its best.

Dependent on the type of stain / surface residue present (i.e. suction marks, grease, grout, general building site dirt) there is a wide range of off the shelf specialist cleaners available. Always check the manufacturers instructions first before applying to any test area.



we deliver



Bowland Stone

1 Cole Road, St. Philips,
Bristol BS2 0UG

t: 01179 557530

e: bristol@bowlandstone.com

Find even more inspiration at www.bowlandstone.com



Made in the UK by
Bowland Stone